

Testfabrics, Inc.

AATCC DUMMY WASH LOAD BALLAST

TYPE 1

ITEM CODE: DUMMY I

100 % Cotton

4 Sides Serged (approx 16 Pieces per 4 lb (1.8 kg) Load)

For use in AATCC Test Methods

88B, 88C, 124, 130, 135,142,143,150 and where specified

LOT # 1880

**Certificate of Conformity &
Detailed Test Report included**

QTY: 16 PIECES

Testfabrics, Inc.

Mailing Address: PO Box 3026

West Pittston, PA 18643 USA

Shipping Address: 415 Delaware Avenue

West Pittston, PA 18643 USA

Phone: USA (570) 603-0432

Fax: USA (570) 603-0433

Email: testfabric@aol.com or info@testfabrics.com

www.testfabrics.com

Testfabrics, Inc.

AATCC Wash Load Ballast Dummy 1 & 3

- Over 70 years of continuous production and consistent delivery of Standard test materials.
- **AATCC test method 88B and others calling for Ballast Load developed in 1962 was based on ballast load solely provided by Testfabrics, Inc.**
- Complies for use in AATCC Test Methods 88B, 88C, 124, 130, 135, 142, 143, 150, etc & ISO 7770 and other national and international related Test methods.
- In compliance with requirements of AATCC Committee RA 61, Wash Load Ballast Specifications.
- There have been continuous product improvements based on decades of customer feedback worldwide.
- New, more convenient and professional packing has been introduced.
- Testfabrics, Inc. AATCC Dummy 1 & 3 pieces are manufactured with strictly regulated production and quality control at each process step.
- Production is monitored, tested and approved by an independent ISO certified laboratory.
- **Each 16 pieces bag includes a Certificate of Conformity and detailed Test Report.**
- Testfabrics, Inc. products are the first choice of leading manufacturers, suppliers and commercial labs around the world.
- Local agents found worldwide to provide easy, quick access to Testfabrics, Inc.'s products.
- Product support 24/7
- **Reorder ready to use pieces worldwide by code: “ Dummy 1 or Dummy 3”**

Testfabrics, Inc.

P.O Box 3026
415 Delaware Ave
West Pittston, PA 18643 USA
Tel: (570) 603 0432 Fax: (570) 603 0433
Email: info@testfabrics.com

www.testfabrics.com

Testfabrics, Inc.

Your source for Quality Consumables

CERTIFICATE OF CONFORMITY

Product Code: DUMMY 1

Description: AATCC Ballast Type 1 (100% Cotton, 36 X 36 in. piece with 4 serged sides

Production Lot Number: 1880

It is to certify that above mentioned product has been evaluated according to standards and conforms to the specifications for manufacturing and performance outlined in:



Test Method 88B, 88C, 121, 130, 135, 142, 143 & 150



Other test methods where specified.

Thomas A. Klaas

Thomas A. Klaas,
Technical Director
Testfabrics, Inc.

P.O Box 3026, 415 Delaware Ave
West Pittston, PA 18643 USA
Tel: (570) 603 0432 Fax: (570) 603 0433
Email: info@testfabrics.com Web: www.testfabrics.com

Producing Quality Textile Test Materials Used Worldwide for Over seventy Years

DETAILED TEST REPORT


AATCC Test Method 88B

Smoothness of Seams in Fabrics after Repeated Home Laundering

Table I—Wash Load Ballast: Finished Fabric Specification

Fiber Content	Wash Load Ballast Type 1 100% Cotton
Greige Fabric Yarns	16/1 ring spun
Greige Fabric Construction	52 (± 5) × 48 (± 5)
Finished Fabric Weight	155 ± 5 g/m ² (4.55 ± 0.15 oz/yd ²)
Finished Piece Size	92.0 × 92.0 ± 3 cm (36.0 × 36.0 ± 1 in.)
Finished Piece Weight	130 ± 10 g

Testfabrics, Inc. Dummy Wash Load Ballast Type 1 Lot # 1880

Specification	Description	Target with Tolerance	Result	Status
Fiber Content	100% Cotton	100% Cotton	YES	
Greige Fabric Yarns	16/1 ring spun	16/1	16/1	
		Ring Spun	YES	
Finished Fabric Construction	52 (± 5) X 48 (± 5)	Warp: 52 ± 5 ends/inch	56 ends/inch	
		Weft: 48 ± 5 picks/inch	52 picks/inch	
Finished Fabric Weight	155 ± 5 g/m ² (4.55 ± 0.15 oz/yd ²)	155 ± 5 grams/meter ²	155 g/m ²	
		4.55 ± 0.15 oz/yd ²	4.57 oz/yd ²	
Finished Piece Size	92.0 X 92.0 ± 3 cm (36.0 X 36.0 ± 1 in)	92.0 X 92.0 ± 3 cm	92 X 92 ± 3 cm	
		36.0 X 36.0 ± 1 in	36 X 36 ± 1 in	
Finished Piece Weight	130 ± 10 g	130 ± 10 grams/piece	135 grams/piece	

[Handwritten Signature]

Quality Assurance Manager