

# Testfabrics

*Your Source for Quality Test Materials*

---

Technical Catalog  
Section I  
Product List Version 1.5.8

**Testfabrics, Inc.**

**P.O Box 3026**

**415 Delaware Ave**

**West Pittston, PA 18643 USA**

**Phone: +1 (570) 603 0432**

**Fax: +1 (570) 603 0433**

**Email: [info@testfabrics.com](mailto:info@testfabrics.com)**

**Web: [www.testfabrics.com](http://www.testfabrics.com)**

## Testfabrics Technical Catalog Section I Product List Verison 1.5.8

<b>Table of Contents</b>	<b>Page</b>
<b>AATCC (AMERICAN) &amp; ISO (EUROPEAN) CROCKMETER CLOTH/COTTON LAWN, SQUARES &amp; PARTS</b> AATCC Crockmeter Test Cloth, Squares, Verification Cloth, Green Felt & Black Crock ISO Crockmeter Test Rubbing Cloth & Squares (Cotton Lawn) Replacement Parts for Crockmeter Machine Testfabrics "Custom size Crock Pieces"	<b>1</b>
<b>AATCC (AMERICAN) &amp; ISO (EUROPEAN) DUMMY WASH LOAD BALLAST (MAKEWEIGHTS)</b> AATCC "Dummy" Wash Load or Ballast ISO "Makeweights" Loading Fabrics or Ballast Testfabrics "Custom Ballast"	<b>2</b>
<b>ASTM STANDARD REFERENCE TEST MATERIALS</b> Consumable for Martindale Abrasion Tester Dyed Fabrics for Evaluating Color Transfer Miscellaneous ASTM Test Materials Pilling Test Consumables Standard Break Fabrics	<b>2</b>
<b>ISO SINGLE ADJACENT FABRICS 105/F SERIES</b> ISO Single Fiber Standard Adjacent Acrylic 105-F05 ISO Single Fiber Standard Adjacent Cotton 105-F02 ISO Single Fiber Standard Adjacent Polyamide 105-F03 ISO Single Fiber Standard Adjacent Polyester 105-F04 ISO Single Fiber Standard Adjacent Silk 105-F06 ISO Single Fiber Standard Adjacent Viscose 105-F02 ISO Single Fiber Standard Adjacent Wool 105-F01	<b>3</b>
<b>ISO STANDARD REFERENCE TEST MATERIALS</b> EN388 Standard Reference Materials ISO 105-E04 Reagents ISO Blue Wools ISO Gray Scales ISO Reference Materials ISO Reference Threads ISO/SDC Reference Materials	<b>4</b>
<b>PHENOLIC YELLOWING TEST MATERIALS</b>	<b>5</b>
<b>FLAMMABILITY STANDARD REFERENCE TEST MATERIALS</b> BSI Flammability Std Reference Test Materials CPSC/CFR & CAN Flammability Std Reference Test Materials Miscellaneous Flammability Std Test Materials UFAC & CA TB117 Flammability Std Reference Test Materials	<b>5</b>
<b>AUTOMOTIVE STANDARD REFERENCE TEST MATERIALS</b> Cotton Cheese Cloth Ford, GM, Chrysler, Toyota, Honda, Nissan, Renault and other Standard Reference Materials Greige Cotton Duck JIS (Japanese Industrial Standard) Fabrics PVC SAE Polystyrene Chip	<b>7</b>

<b>AATCC, ISO, IEC, AHAM AND OTHER CONSUMER DETERGENTS &amp; IDENTIFICATION STAINS</b> AATCC Standard Liquid & Powder Detergents Clorox 2 Powder & Liquid Test ISO, IEC, AHAM & SASO Standard Detergents Test Method Specific Detergents & Cleaning Products Textile Fiber Identification Stains Tide Liquid Detergent Tide Powder Detergent US, UK & International Consumer Laundry Detergents & Cleaning Products	8
<b>AATCC (AMERICAN) &amp; ISO (EUROPEAN) &amp; OTHER MULTIFIBER TEST FABRICS</b> <u>AATCC MFF 1</u> (6 fibers 8 mm bands) of Acetate, Cotton, Nylon, Silk, Viscose & Wool	10
<b>AATCC (AMERICAN) &amp; ISO (EUROPEAN) &amp; OTHER MULTIFIBER TEST FABRICS</b> <u>AATCC MFF 10</u> (6 fibers 8 mm bands) of Acetate, Cotton, Nylon, Polyester, Acrylic & Wool	11
<b>AATCC (AMERICAN) &amp; ISO (EUROPEAN) &amp; OTHER MULTIFIBER TEST FABRICS</b> <u>AATCC MFF 10A (ISO DW)</u> (6 fibers 15mm bands) of Acetate, Cotton, Nylon, Polyester, Acrylic & Wool	12
<b>AATCC (AMERICAN) &amp; ISO (EUROPEAN) &amp; OTHER MULTIFIBER TEST FABRICS</b> <u>ISO MFF 41 (TV)</u> (6 fibers 1.5 cm stripe) of Tricetate, Cotton, Polyamide, Polyester, Acrylic & Viscose <u>ISO MFF 42 (DW)</u> (6 fibers 1.5 cm stripe) of Acetate, Cotton, Polyamide, Polyester, Acrylic & Wool	13
<b>AATCC (AMERICAN) &amp; ISO (EUROPEAN) &amp; OTHER MULTIFIBER TEST FABRICS</b> <u>MFF 43</u> (13 fibers 8 mm stripe) of Acetate, SEF (Modacrylic, fire retardant), Triacetate, Cotton, Polyacrylic, Disperse Dyeable Polyester, Cationic Dyeable Polyester, Nylon (Polyamide), Polyacrylic, Silk, Polypropylene, Viscose and Wool. <u>JCPenney MFF 49</u> (8 fibers 1.25cm stripe) of Eight fiber (1.25 cm stripe) containing Acetate, Cotton, Polyamide, Polyester, Acrylic, Silk, Viscose and Wool.	14
<b>FABRICS</b> Acetate Fabrics Acrylic Fabrics Cotton Fabrics Dyed Polyester Fabrics Filament Polyester Fabrics Glass Fabrics Hemp Fabrics Linen Fabrics Nomex Fabrics Nylon Fabrics Polyester Fabrics Polypropylene Fabrics Silk Fabrics Spun Polyester Fabrics Union, Checked, Blended and Other Fabrics Viscose (Regenerated Cellulose) Fabrics Spun Polyester Fabrics Worsted and Wool Fabrics	15
<b>DYE SKEINS</b> Acrylic Yarn PFD Dye Skeins Carpet Yarn PFD Dye Skeins Cotton Yarn PFD Dye Skeins Nylon Yarn PFD Dye Skeins Polyester Yarn PFD Dye Skeins Silk Yarn PFD Dye Skeins Viscose (Regenerated Cellulose) Yarn PFD Dye Skeins Wool Yarn PFD Dye Skeins	24

<b><u>AATCC (AMERICAN) &amp; ISO (EUROPEAN) CROCKMETER CLOTH/COTTON LAWN, SQUARES &amp; PARTS</u></b>		
<b>Item Number</b>	<b>Item Name</b>	<b>Item Description</b>
<b><u>AATCC Crockmeter Test Cloth, Squares, Verification Cloth, Green Felt &amp; Black Crock</u></b>		
0101001	<a href="#">AATCC CROCK SQUARES BOX</a>	AATCC Crockmeter Test Cloth Cut in 50 mm squares (2" X 2" Straight Edges) pieces from AATCC Standard Crockmeter White Cloth. Specially designed 5 small easy to use boxes of 200 pieces in each 1000 piece box. Certificate of Conformity and Detailed Test Report inside each box, Box of 1000 Pieces
0101002	<a href="#">AATCC CROCK CLOTH 1M PACK</a>	AATCC Crockmeter Test Cloth (STYLE 3) with Certificate of Conformity & Test Report, Pack of 1 Meter
0101003	<a href="#">AATCC CROCK CLOTH 5M PACK</a>	AATCC Crockmeter Test Cloth (STYLE 3) with Certificate of Conformity & Test Report, Pack of 5 Meters
0101004	<a href="#">AATCC CROCK CLOTH 25M ROLL</a>	AATCC Crockmeter Test Cloth (STYLE 3) with Certificate of Conformity & Test Report, Roll of 25 Meters
0101005	<a href="#">AATCC CROCK CLOTH 50M ROLL</a>	AATCC Crockmeter Test Cloth (STYLE 3) with Certificate of Conformity & Test Report, Roll of 50 Meters
0101006	<a href="#">AATCC CROCK GREEN FELT</a>	Green Felt for AATCC Crockmeter 2" X 2" (Straight Edges), Pack of 100 Pieces
0101007	<a href="#">AATCC CVC 25</a>	Crockmeter Verification Cloth, 2" X 6" (Pinked Edges) With Data Sheet and Instructions, Pack of 25 Pieces
0101008	<a href="#">CROCK 2 BLACK</a>	Dyed Direct Black, Pre cut 2" X 2" (Straight Edges) For ASTM 5053 and other Leather Tests, Pack of 100 Pieces
<b><u>ISO Crockmeter Test Rubbing Cloth &amp; Squares (Cotton Lawn)</u></b>		
0102001	<a href="#">ISO CROCK SQUARES BOX</a>	ISO Cotton Lawn Rubbing Fabric, 5 cm X 5 cm (Pinked or Gimped Edges), Box of 500 Pieces
0102002	<a href="#">ISO CROCK CLOTH (COTTON LAWN) 1M PACK</a>	ISO Crockmeter Cloth/Cotton Rubbing Lawn with Certificate of Conformity & Test Report, Pack of 1 Meter
0102003	<a href="#">ISO CROCK CLOTH (COTTON LAWN) 5M PACK</a>	ISO Crockmeter Cloth/Cotton Rubbing Lawn with Certificate of Conformity & Test Report, Pack of 5 Meters
0102004	<a href="#">ISO CROCK CLOTH (COTTON LAWN) 25M ROLL</a>	ISO Crockmeter Cloth/Cotton Rubbing Lawn with Certificate of Conformity & Test Report, Roll of 25 Meters
0102005	<a href="#">ISO CROCK CLOTH (COTTON LAWN) 50M ROLL</a>	ISO Crockmeter Cloth/Cotton Rubbing Lawn with Certificate of Conformity & Test Report, Roll of 50 Meters
<b><u>Replacement Parts for Crockmeter Machine</u></b>		
0103001	<a href="#">AATCC CVK</a>	AATCC Crockmeter Verification Kit A. AATCC CVC 25 B. Finger (Tip), Round Clip, Emery Paper, Kit
0103002	<a href="#">CROCK BLOCK</a>	Crock Block with rectangular rubbing surface 19.0 x 25.4 mm for AATCC Test Method 165, Piece
0103003	<a href="#">CROCK CLIP</a>	AATCC Standard Crockmeter Machine Stainless steel Clip, Piece
0103004	<a href="#">CROCK EMERY PAPER 320A</a>	Grit 320A for Crockmeter Machine, 9"x11"/229x279 mm Sheets, Sheet
0103005	<a href="#">CROCK FINGER TIP</a>	AATCC Standard Crockmeter Machine Finger Tip, Piece
<b><u>Testfabrics "Custom size Crock Pieces"</u></b>		
0104001	<a href="#">AATCC CROCK 4 BOX</a>	AATCC Crock 4 Pieces 1" X 4" (Straight Edges), Box of 1000 Pieces
0104002	<a href="#">AATCC CROCK 6 BOX</a>	AATCC Crock 6 Pieces 2" X 6" (Straight Edges), Box of 1000 Pieces
0104003	<a href="#">AATCC CROCK ROUNDS BOX</a>	AATCC Crock Rounds (2.25" Diameter), Box of 1000 Pieces

<b><u>AATCC (AMERICAN) &amp; ISO (EUROPEAN) DUMMY WASH LOAD BALLAST (MAKEWEIGHTS)</u></b>		
<b>Item Number</b>	<b>Item Name</b>	<b>Item Description</b>
<b><u>AATCC "Dummy" Wash Load or Ballast</u></b>		
0201001	<a href="#">AATCC 80 20 WC 50X50</a>	AATCC Wool/Cotton Ballast 50X50 cm, 1 Kg Load (Pack of 19 pieces, 6 pieces of Cotton and 13 Pieces of Wool), Pack of 1 Kg
0201002	<a href="#">AATCC DUMMY I</a>	AATCC Wash Load Ballast Type-1 100% Cotton Sheeting, 36 X 36 inches, Bag of 16 Pieces
0201003	<a href="#">AATCC DUMMY III</a>	AATCC Wash Load Ballast Type-3 50/50 Polyester/Cotton, 36 X 36 inches, Bag of 16 Pieces
<b><u>ISO "Makeweights" Loading Fabrics or Ballast</u></b>		
0202001	<a href="#">ISO 80 20 WC 30X30 2L</a>	ISO Wool/Cotton Ballast 30x30 cm, Each piece is 2 layers of fabric sewn together at the edges (300 +/-30) mm x (300 +/-30) mm, 1 Kg Load (Pack of 26 pieces, 8 pieces of Cotton and 18 Pieces of Wool), Pack of 1 Kg
0202002	<a href="#">ISO B 3175-4</a>	Polyester-Cotton (50-50) Ballast Two Layers, 800 +/- 20 mm (31.5 +/- 0.75 inches) According to ISO 3175-4 section 6.4 Ballast Specifications, Pack of 8 Pieces
0202003	<a href="#">ISO B I</a>	BS EN ISO 6330:2012 Ballast Type I 100% Cotton, Pack of 4 Pieces is approx 1.2 Kg , Pack of 4 Pieces
0202004	<a href="#">ISO B II</a>	BS EN ISO 6330:2012 Ballast Type II 50%Polyester / 50 % Cotton, Pack of 8 Pieces is approx 2 Kg , Pack of 8 Pieces
0202005	<a href="#">ISO B III</a>	BS EN ISO 6330:2012 Ballast Type III 100% Polyester According to Annex H 20 Pieces/Approx 1 Kg/Pack, Pack of 20 Pieces
<b><u>Testfabrics "Custom Ballast"</u></b>		
0203001	<a href="#">CUSTOM BALLAST</a>	Ballast according to customer's specifications, Pack
0203002	<a href="#">LS 35 COTTON BALLAST</a>	Ballast, 24 x 24" (610 x 610 mm), white cotton weighing approximately 4.5 +/- 0.5 oz/sq. yd (160 +/- 6 g/sq m), Pack of 20 Pieces
<b><u>ASTM STANDARD REFERENCE TEST MATERIALS</u></b>		
<b>Item Number</b>	<b>Item Name</b>	<b>Item Description</b>
<b><u>Consumable for Martindale Abrasion Tester</u></b>		
0601001	<a href="#">533</a>	Wool Level Loop Carpet 27" X 72" bound edges, Roll
0601002	<a href="#">SM 25</a>	Wool Abradent Woven Fabric, Approx Width: 59 inches (150 cm), Linear Meter
0601003	<a href="#">SM 25 140MM</a>	SM 25 Wool Abradent Woven Fabric Pre cut 140 mm Circles, Pack of 25 Pieces
0601004	<a href="#">SM 25 150MM</a>	SM 25 Wool Abradent Woven Fabric Pre cut 150 mm Circles, Pack of 25 Pieces
0601005	<a href="#">SM 26</a>	Felt Piece (woven), Approx Width: 59 inches (150 cm), Linear Meter
0601006	<a href="#">SM 26 125 MM</a>	SM 26 Felt Pre cut 125 mm Circles, Pack of 25 Pieces
0601007	<a href="#">SM 26 140MM</a>	SM 26 Felt Pre cut 140 mm Circles, Pack of 25 Pieces
0601008	<a href="#">SM 28</a>	Polyurethane Foam Piece, 1.5 meter X 0.5 meter, Pack of 1 Pieces
<b><u>Dyed Fabrics for Evaluating Color Transfer</u></b>		
0602001	<a href="#">361 RED 151 PCS</a>	Acid Red 151 on Spun Nylon style # 361 (4.5" X 6" pcs), Pack of 100 Pieces
0602002	<a href="#">400 BLUE 71 PCS</a>	Direct Blue 71 on Cotton Print Cloth style # 400 (4.5" X 6" pcs), Pack of 100 Pieces
0602003	<a href="#">400 BLUE 90 PCS</a>	Direct Blue 90 on Cotton Print Cloth style # 400 (4.5" X 6" pcs), Pack of 100 Pieces
0602005	<a href="#">400 PCS</a>	Undyed Cotton Print Cloth for pick-up of loose dye in test (4.5" X 6" pcs), Pack of 100 Pieces

<b>Miscellaneous ASTM Test Materials</b>		
0603001	<a href="#">ASTM ACA</a>	Airplane Cloth Grade A Desized Approx Weight: 142 grams/meter <sup>2</sup> (4.2 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
0603002	<a href="#">ASTM D1230 THREAD</a>	#50 Mercerized Cotton Thread 6000 Yards/Cone
0603003	<a href="#">ASTM D2255 PHOTO</a>	Each photograph is 6 inches x 10 inches in size and the four photographs representing Grades A to D of each series are mounted on a 27.5 inches x 15 inches extra heavy board, Set
0603004	<a href="#">ASTM D3512 PHOTO</a>	5 photographs on an 11 by 14 inches sheet, They vary from No. 1 - Very Severe Pilling to No. 5 - No Pilling, Sheet
0603005	<a href="#">ASTM D434 NEEDLE</a>	0.030 in. (0.76 mm) in diameter Needle, Each
0603006	<a href="#">ASTM D434 THREAD</a>	approximately 36 tex polyester cotton core thread" (6000 yards/cone), Cone
0603007	<a href="#">ASTM NOMEX F1868</a>	Nomex Defender 750 Yellow, Approx Width: 62 inches (157 cm), Linear Meter
0603008	<a href="#">TF FELT SLEEVES</a>	Felt Sleeves for Standard Test Method for Snagging Resistance of Fabrics (Mace) for ASTM D3939, Pack of 4 Pieces
<b>Pilling Test Consumables</b>		
0604001	<a href="#">CORK LINERS</a>	Standard CORK LINERS for Pilling Tester Made in USA, Pack of 50 Pieces
0604002	<a href="#">ELM GLUE</a>	WHITE GLUE Adhesive, white all-purpose, for sealing edges of specimens 225 ml Bottle, Bottle
0604003	<a href="#">GRAY SLIVER 1 YARD</a>	ASTM Gray Cotton Sliver 1 Yard Pack With COC, Pack of 1 Yard
0604004	<a href="#">GRAY SLIVER 10 YARD</a>	ASTM Gray Cotton Sliver 10 Yard Pack With COC, Pack of 10 Yards
<b>Standard Break Fabrics</b>		
0605001	<a href="#">9407R LOT 1100</a>	50/50 Polyester/Cotton Plain Weave Standard Break Fabric With Certificate of Conformity and Data Sheet Approx Width: 60 inches (152 cm), Pack of 1 Meter
<b>ISO SINGLE ADJACENT FABRICS 105/F SERIES</b>		
Item Number	Item Name	Item Description
<b>ISO Single Fiber Standard Adjacent Acrylic 105-F05</b>		
1601001	<a href="#">ISO ADJ ACRYLIC</a>	ISO 105-F05 Acrylic Adjacent Fabric Approx Weight: 135 grams/meter <sup>2</sup> (3.98 ounces/yard <sup>2</sup> ) Approx Width: 44 inches (114 cm), Linear Meter
1601002	<a href="#">ISO ADJ ACRYLIC 5M</a>	ISO 105-F05 Acrylic Adjacent Fabric, Pack of 5 Meters
1601003	<a href="#">ISO ADJ ACRYLIC 4X10 PCS</a>	ISO 105-F05 Acrylic Adjacent Fabric Pre cut 4 cm X 10 cm (Straight Edges) pieces, Pack of 100 Pieces
1402001	<a href="#">871 TF STANDARD ADJACENT ACRYLIC</a>	Spun Acrylic Woven Fabric
<b>ISO Single Fiber Standard Adjacent Cotton 105-F02</b>		
1602001	<a href="#">ISO ADJ COTTON</a>	ISO 105-F02 Cotton Adjacent Fabric Cotton Limbric Approx Weight: 115 grams/meter <sup>2</sup> (3.39 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm)
1602002	<a href="#">ISO ADJ COTTON 5M</a>	ISO 105-F02 Cotton Adjacent Fabric Cotton Limbric, Pack of 5 Meters
1602003	<a href="#">ISO ADJ COTTON 4X10 PCS</a>	ISO 105-F02 Cotton Adjacent Fabric, Cotton Limbric Pre cut 4 cm X 10 cm (Straight Edges) pieces Pack of 100 Pieces

<b><u>ISO Single Fiber Standard Adjacent Polyamide 105-F03</u></b>		
1603001	<a href="#">ISO ADJ POLYAMIDE</a>	ISO 105-F03 Polyamide Adjacent Fabric Approx Weight: 130 grams/meter <sup>2</sup> (3.83 ounces/yard <sup>2</sup> ) Approx Width: 42 inches (106 cm), Linear Meter
1603002	<a href="#">ISO ADJ POLYAMIDE 5M</a>	ISO 105-F03 Polyamide Adjacent Fabric, Pack of 5 Meters
1603003	<a href="#">ISO ADJ POLYAMIDE 4X10 PCS</a>	ISO 105-F03 Polyamide Adjacent Fabric Pre cut 4 cm X 10 cm (Straight Edges) pieces, Pack of 100 Pieces
1410006	<a href="#">365 TF STANDARD ADJACENT POLYAMIDE</a>	Spun Nylon 6.6 Woven Fabric, Plain Weave
<b><u>ISO Single Fiber Standard Adjacent Polyester 105-F04</u></b>		
1604001	<a href="#">ISO ADJ POLYESTER</a>	ISO 105-F04 Polyester Adjacent Fabric Approx Weight: 130 grams/meter <sup>2</sup> (3.83 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter
1604002	<a href="#">ISO ADJ POLYESTER 5M</a>	ISO 105-F04 Polyester Adjacent Fabric, Pack of 5 Meters
1604003	<a href="#">ISO ADJ POLYESTER 4X10 PCS</a>	ISO 105-F04 Polyester Adjacent Fabric Pre cut 4 cm X 10 cm (Straight Edges) pieces, Pack of 100 Pieces
<b><u>ISO Single Fiber Standard Adjacent Silk 105-F06</u></b>		
1605001	<a href="#">ISO ADJ SILK</a>	ISO 105-F06 Silk Adjacent Fabric Approx Weight: 60 grams/meter <sup>2</sup> (1.76 ounces/yard <sup>2</sup> ) Approx Width: 30 inches (76 cm), Linear Meter
1605002	<a href="#">ISO ADJ SILK 5M</a>	ISO 105-F06 Silk Adjacent Fabric, Pack of 5 Meters
1605003	<a href="#">ISO ADJ SILK 4X10 PCS</a>	ISO 105-F06 Silk Adjacent Fabric Pre cut 4 cm X 10 cm (Straight Edges) pieces, Pack of 100 Pieces
<b><u>ISO Single Fiber Standard Adjacent Viscose 105-F02</u></b>		
1606001	<a href="#">ISO ADJ VISCOSE</a>	ISO 105-F02 Viscose Adjacent Fabric Approx Weight: 140 grams/meter <sup>2</sup> (4.12 ounces/yard <sup>2</sup> ) Approx Width: 58 inches (147 cm), Linear Meter
1606002	<a href="#">ISO ADJ VISCOSE 5M</a>	ISO 105-F02 Viscose Adjacent Fabric, Pack of 5 Meters
1606003	<a href="#">ISO ADJ VISCOSE 4X10 PCS</a>	ISO 105-F02 Viscose Adjacent Fabric Pre cut 4 cm X 10 cm (Straight Edges) pieces, Pack of 100 Pieces
<b><u>ISO Single Fiber Standard Adjacent Wool 105-F01</u></b>		
1607001	<a href="#">ISO ADJ WOOL</a>	ISO 105-F01 Wool Adjacent Fabric Approx Weight: 125 grams/meter <sup>2</sup> (3.68 ounces/yard <sup>2</sup> ) Approx Width: 54 inches (137 cm), Linear Meter
1607002	<a href="#">ISO ADJ WOOL 5M</a>	ISO 105-F01 Wool Adjacent Fabric, Pack of 5 Meters
1607003	<a href="#">ISO ADJ WOOL 4X10 PCS</a>	ISO 105-F01 Wool Adjacent Fabric Pre cut 4 cm X 10 cm (Straight Edges) pieces, Pack of 100 Pieces
<b><u>ISO STANDARD REFERENCE TEST MATERIALS</u></b>		
Item Number	Item Name	Item Description
<b><u>EN388 Standard Reference Materials</u></b>		
1701001	<a href="#">EN 388 COTTON CANVAS</a>	EN 388 cotton canvas material, Pack of 5 Meters
<b><u>ISO 105-E04 Reagents</u></b>		
1702001	<a href="#">ISO PA</a>	ISO E04 Powder A, Colour fastness to acid perspiration (pH 5.5), 50 grams Jar
1702002	<a href="#">ISO PB</a>	ISO E04 Powder B, Colour fastness to alkaline perspiration (pH 8.00), 50 grams Jar
<b><u>ISO Blue Wools</u></b>		
1703001	<a href="#">ISO BLUE WOOL 1</a>	ISO Blue Wool Reference Standard No.1 (25 cm X 15 cm Piece), Piece
1703002	<a href="#">ISO BLUE WOOL 2</a>	ISO Blue Wool Reference Standard No.2 (25 cm X 15 cm Piece), Piece
1703003	<a href="#">ISO BLUE WOOL 3</a>	ISO Blue Wool Reference Standard No.3 (25 cm X 15 cm Piece), Piece

1703004	<a href="#">ISO BLUE WOOL 4</a>	ISO Blue Wool Reference Standard No.4 (25 cm X 15 cm Piece), Piece
1703005	<a href="#">ISO BLUE WOOL 5</a>	ISO Blue Wool Reference Standard No.5 (25 cm X 15 cm Piece), Piece
1703006	<a href="#">ISO BLUE WOOL 6</a>	ISO Blue Wool Reference Standard No.6 (25 cm X 15 cm Piece), Piece
1703007	<a href="#">ISO BLUE WOOL 7</a>	ISO Blue Wool Reference Standard No.7 (25 cm X 15 cm Piece), Piece
1703008	<a href="#">ISO BLUE WOOL 8</a>	ISO Blue Wool Reference Standard No.8 (25 cm X 15 cm Piece), Piece
1703009	<a href="#">ISO BLUE WOOL SET</a>	ISO Blue Wool Reference Standard No. 1 to 8 complete set (Each Piece is 25 cm X 15 cm), Pack
<b><u>ISO Gray Scales</u></b>		
1704001	<a href="#">ISO GRAY C</a>	ISO Grey Scale For Change in Colour, Piece
1704002	<a href="#">ISO GRAY S</a>	ISO Grey Scale For Staining, Piece
<b><u>ISO Reference Materials</u></b>		
1705001	<a href="#">MWF PAD</a>	Mineral-wool fibre Pad For ISO 12952-1, Piece
1705002	<a href="#">W-TNV-30</a>	Woven cotton discs for wetting power complying to DIN 53901 / EN 1772 / ISO 8022, Pack of 1000 Pieces
<b><u>ISO Reference Threads</u></b>		
1706001	<a href="#">ISO 13936 THREAD</a>	100% polyester core spun (filament core, staple sheath) Approximate resultant linear density 45±5, (Apparel fabric), 6000 Yards/Cone
1706002	<a href="#">ISO 13936-2 THREAD</a>	100% polyester core spun (filament core, staple sheath) Approximate resultant linear density 74±5, (Furnishing fabric), 6000 Yards/Cone
<b><u>ISO/SDC Reference Materials</u></b>		
1707001	<a href="#">SDC FL SUPPRESSOR</a>	Fluorescent Suppressor Laminated Plate, Pack
1707002	<a href="#">SDC HUMIDITY TC</a>	ISO Humidity Test Control (25 cm X 15 cm Piece), Pack
1707003	<a href="#">SDC STD DEPTH</a>	Standard Depth Matt, Pack
<b><u>PHENOLIC YELLOWING TEST MATERIALS</u></b>		
<b>Item Number</b>	<b>Item Name</b>	<b>Item Description</b>
<b><u>Phenolic Yellowing Test Materials with COC for ISO X-18 &amp; M&amp;S C20B</u></b>		
2001001	<a href="#">TFPC 25</a>	Testfabrics Phenotest Control Fabric. 100 X 30 mm according to EN ISO 105-X18 & M&S C20B, Pack of 25 Pieces
2001002	<a href="#">TFPF 25</a>	Test Phenotest BHT-Free Polyethylene Film 400 X 200 mm according to EN ISO 105-X18 & M&S C20B, Pack of 25 Pieces
2001003	<a href="#">TFPG 10</a>	Testfabrics Phenotest Glass Plates 100 X 40 X 3 mm according to EN ISO 105-X18 & M&S C20B, Pack of 10 Pieces
2001004	<a href="#">TFPP 50</a>	Testfabrics Phenotest Impregnated Test Papers 100 X 75 mm according to EN ISO 105-X18 & M&S C20B Note: Shelf life of 4 months after foil bags have been opened, Pack of 50 Pieces
<b><u>FLAMMABILITY STANDARD REFERENCE TEST MATERIALS</u></b>		
<b>Item Number</b>	<b>Item Name</b>	<b>Item Description</b>
<b><u>BSI Flammability Std Reference Test Materials</u></b>		
1501001	<a href="#">700-5852</a>	100 % Polyester FR for BSI 5852, Linear Meter
1501002	<a href="#">CRIB # 4</a>	BSI-5852- Part II Ignition Crib # 4, Pack of 10 Piece
1501003	<a href="#">CRIB # 5</a>	BSI-5852- Part II Ignition Crib # 5, Pack of 10 Piece
1501004	<a href="#">CRIB # 6</a>	BSI-5852- Part II Ignition Crib # 6, Pack of 10 Piece
1501005	<a href="#">CRIB # 7</a>	BSI-5852- Part II Ignition Crib # 7, Pack of 10 Piece
<b><u>CPSC/CFR &amp; CAN Flammability Std Reference Test Materials</u></b>		
1502001	<a href="#">CAN CGSB 4.2 THREAD</a>	3 Ply Mercerized White Cotton Thread 6000 Yards/Cone, Cone



1502002	<a href="#">CFR 1610 THREAD</a>	No.50, Mercerized Cotton Thread 6000 Yards/Cone, Cone
1502003	<a href="#">CFR 1610 WOOL</a>	Testfabrics Style 526 Wool Worsted Flannel Natural Scoured, Approx Width: 60 inches (152 cm), Linear Meter
1502004	<a href="#">CFR 1611 COTTON THREAD</a>	Heavy Duty Cotton Thread for CPSC CFR 1611.4 Flammability Test 350 Yards per Spool, Set of 3 Spools
1502005	<a href="#">CFR 1632 COTTON</a>	Testfabrics Style 400 Cotton Bleached Desized Cotton Print Cloth, Approx Width: 45 inches (114 cm), Linear Meter
1502006	<a href="#">CPSC 8X5X3 FOAM</a>	8" X 5"X 3" Urethane Foam Blocks, Box of 72 Pieces
1502007	<a href="#">CPSC 8X8X3 FOAM</a>	8" X 8"X 3" Urethane Foam Blocks, Box of 36 Pieces
<b>Miscellaneous Flammability Std Test Materials</b>		
1503001	<a href="#">W66 400 6X6 L</a>	Cotton Fabric 400 cut into 6"X6" Pieces, Laundered, Pack of 100 Pieces
<b>UFAC &amp; CA TB117 Flammability Std Reference Test Materials</b>		
1504001	<a href="#">8500</a>	Beige, 100% Cotton Velvet For California Fire Marshall's Test TB 117 Approx Width: 54 inches (137 cm), Linear Meter
1504002	<a href="#">8500 8X11 PCS</a>	Beige, 100% Cotton Velvet For California Fire Marshall's Test TB 117 Precut into 8 X 11 inches Pieces, Pack of 50 Pieces
1504003	<a href="#">8500 8X15 PCS</a>	Beige, 100% Cotton Velvet For California Fire Marshall's Test TB 117 Precut into 8 X 15 inches Pieces, Pack of 50 Pieces
1504004	<a href="#">8500 8X8 PCS</a>	Beige, 100% Cotton Velvet For California Fire Marshall's Test TB 117 Precut into 8 X 8 inches Pieces, Pack of 50 Pieces
1504005	<a href="#">CA TB117 FOAM SET</a>	Kit consist of 1 Piece 8"X8"X2" and 1 Piece 8"X5"X2" According to TB 117 Box of 28 Kits , Box
1504006	<a href="#">MINI MOCKUP TESTER</a>	Mini Mockup Tester for TB117, Set
1504007	<a href="#">METHENAMINE TABS</a>	Methanamine Reagent Tabs for Ignition Test, Made in USA, Bottle of approximately 100 tabs
1504008	<a href="#">NFR BATT</a>	2" thick NFR 100% Cotton Batting, 27" X 10 yards, Roll
1504009	<a href="#">SRM 1196 TEST CIG</a>	Standard Cigarette for Ignition Resistance Testing 2 cartons(400 cigarettes), Set
1504010	<a href="#">UF 400 5X5 L PCS</a>	Laundered Cotton Sheeting Material 100% cotton bed sheeting material, weight 125 ± 28 g/m2 (3.7 ± 0.8 oz/yd2), white in color, and not treated with flame retardants, shall be used to cover test cigarettes. Precut into squares 127 x 127 mm (5.0 x 5.0 in), Pack of 100 Pieces
1504011	<a href="#">UF 400 5X5 UL PCS</a>	Unlaundered Cotton Sheeting Material 100% cotton bed sheeting material, weight 125 ± 28 g/m2 (3.7 ± 0.8 oz/yd2), white in color, and not treated with flame retardants, shall be used to cover test cigarettes. Precut into squares 127 x 127 mm (5.0 x 5.0 in), Pack of 100 Pieces
1504012	<a href="#">UF 400 UL</a>	Unlaundered Sheeting Material 100% cotton bed sheeting material, Approx Width: 45 inches (102 cm), Linear Meter
1504013	<a href="#">UFAC 104</a>	UFAC Standard Type II Cover Fabric Cover fabric shall be 100% bright regular rayon, scoured, 20/2, ring spun, basket weave construction, Approx Width: 56 inches (142 cm), Linear Meter
1504014	<a href="#">UFAC 2" POLY BATT 8X14 PCS</a>	2" thick Polyester Batting Precut 8X14 inch Pieces, Pack of 50 Pieces
1504015	<a href="#">UFAC 2" POLY BATT 8X8 PCS</a>	2" thick Polyester Batting Precut 8X8 inch Pieces, Pack of 50 Pieces
1504016	<a href="#">UF 3 UL</a>	Unlaundered UFAC & TB 117 Standard Type I fabric Cover fabric shall be 100% cotton mattress ticking, Approx Width: 56 inches (142 cm), Linear Meter
1504017	<a href="#">UFAC 3 TICK 12X12 L PCS</a>	UF 3 Ticking, Laundered Precut 12X12 inch Pieces, Pack of 50 Pieces

1504018	<a href="#">UFAC 3 TICK 8X15 L PCS</a>	UF 3 Ticking, Laundered Precut 8X15 inch Pieces, Pack of 50 Pieces
1504019	<a href="#">UFAC 3 TICK 8X8 L PCS</a>	UF 3 Ticking, Laundered Precut 8X8 inch Pieces, Pack of 50 Pieces
1504020	<a href="#">UFAC 5X8X2 FOAM</a>	Polyurethane Foam Substrate Foam Blocks (5.0 x 8.0 x 2.0 in) 127 x 203 x 51 mm, Box of 45 Pieces
1504021	<a href="#">UFAC 8X8X2 FOAM</a>	Polyurethane Foam Substrate Foam Blocks (8.0 x 8.0 x 2.0 in) 203 x 203 x 51 mm, Box of 45 Pieces
<b><u>AUTOMOTIVE STANDARD REFERENCE TEST MATERIALS</u></b>		
Item Number	Item Name	Item Description
<b><u>Cotton Cheese Cloth</u></b>		
0701001	<a href="#">CHEESE 10</a>	Cotton Cheese Cloth Grade 10, Approx Width: 36 inches (91 cm), Linear Meter
0701002	<a href="#">CHEESE 20</a>	Cotton Cheese Cloth Grade 20, Approx Width: 36 inches (91 cm), Linear Meter
0701003	<a href="#">CHEESE 40</a>	Cotton Cheese Cloth Grade 40, Approx Width: 36 inches (91 cm), Linear Meter
0701004	<a href="#">CHEESE 50</a>	Cotton Cheese Cloth Grade 50, Approx Width: 36 inches (91 cm), Linear Meter
0701005	<a href="#">CHEESE 60</a>	Cotton Cheese Cloth Grade 60, Approx Width: 36 inches (91 cm), Linear Meter
0701006	<a href="#">CHEESE 90</a>	Cotton Cheese Cloth Grade 90, Approx Width: 36 inches (91 cm), Linear Meter
<b><u>Ford, GM, Chrysler, Toyota, Honda, Nissan, Renault and other Standard Reference Materials</u></b>		
0702001	<a href="#">7444 PVC</a>	Vinyl Coated Fabric for Chrysler Test Seam Slippage Test MS-JK-2-76 Type A, Approx Width: 60 inches (152 cm), Linear Meter
0702002	<a href="#">ACT COUPON</a>	ACT Circles 01X02X.125 for GMW14872, Pack of 20 Pieces
0702003	<a href="#">APLIX 800</a>	2" Black Nylon Hook Velcro Sew In, Roll of 50 Yards
0702004	<a href="#">AT 425</a>	Bleached Cotton Flannel (With optical brightener) Napped both sides for Automotive Test, Approx Width: 45 inches (114 cm), Linear Meter
0702005	<a href="#">AT 474 CHRYSLER</a>	No. 8 Greige Cotton Duck Approx Width: 48 inches (121 cm), Linear Meter
0702006	<a href="#">M0141 FLANNEL</a>	Cotton Flannel for Nissan Test, Linear Meter
0702007	<a href="#">CESCONI CT FAB</a>	Abradent Cotton Fabric According to FIAT and other specifications Approx Weight: 200 grams/meter <sup>2</sup> (5.89 ounces/yard <sup>2</sup> ) Approx Width: 65 inches (165 cm), Linear Meter
0702008	<a href="#">CESCONI WL FAB</a>	Abradent Wool Fabric According to FIAT and other specifications Approx Weight: 320 grams/meter <sup>2</sup> (9.43 ounces/yard <sup>2</sup> ) Approx Width: 55 inches (140 cm), Linear Meter
0702009	<a href="#">D45 1010 WOOL</a>	16 mm round Wool Felt Pieces for Renault Crockmeter Test Pack of 1000 Pieces
0702010	<a href="#">DENIM 2550Y</a>	Blue Denim dyed Indigo (Replacement for 1655/1615) Approx Width: 66 inches (167 cm), Linear Meter
0702011	<a href="#">AT GAUZE # 1</a>	Japanese Cotton Absorbent Gauze 30 X 100 cm, Piece
0702012	<a href="#">LEATHER PIECES</a>	WGSEDA Arctic White Regular Dull Light Sierra Grain Leather 3 mm thick, (50 x 50 mm pieces), Pack of 100 Pieces
<b><u>Greige Cotton Duck</u></b>		
0703001	<a href="#">AT 408 DUCK</a>	No. 4 Greige Cotton Duck Approx Width: 36 inches (91 cm), Linear Meter
0703002	<a href="#">AT 410 DUCK</a>	No. 6 Greige Cotton Duck Approx Width: 36 inches (91 cm), Linear Meter

0703003	<a href="#">AT 426 ACT DUCK</a>	No. 10 Cotton Duck according to ACT /D 4157 Specs Approx Width: 60 inches (150 cm), Linear Meter
0703004	<a href="#">AT 426 DUCK</a>	No. 10 Cotton Duck Approx Width: 36 inches (91 cm), Linear Meter
0703005	<a href="#">AT 474 DUCK</a>	No. 8 Greige Cotton Duck Approx Width: 36 inches (91 cm), Linear Meter
<b><u>JIS (Japanese Industrial Standard) Fabrics</u></b>		
0704001	<a href="#">JIS 3 SHIRTING</a>	Japanese Cotton Shirting No. 3 (Kanakin # 3) Approx Width: 36 inches (91 cm), Linear Meter
0704002	<a href="#">JIS 6 DUCK</a>	Japanese Cotton Duck No. 6 Approx Width: 36 inches (91 cm), Linear Meter
0704003	<a href="#">JIS 9 DUCK</a>	Japanese Cotton Duck No. 9 Approx Width: 36 inches (92 cm), Linear Meter
0704004	<a href="#">JIS 10 DUCK</a>	Japanese Cotton Duck No. 10 Approx Width: 45 inches (114 cm), Linear Meter
0704005	<a href="#">JIS 14 DUCK</a>	Japanese Cotton Duck No. 14 (Katsuragi No.14) Approx Width: 48 inches (122 cm), Linear Meter
0704006	<a href="#">JIS WOOL</a>	Japanese Wool L0803, Linear Meter
<b><u>PVC</u></b>		
0705001	<a href="#">PVC</a>	White Unembossed & Unsupported Vinyl Approx Width: 59 inches (150 cm), Linear Meter
0705002	<a href="#">PVC 2X2 PCS</a>	White Unembossed & Unsupported Vinyl Precut into 2 X 2 inches Pieces, Pack of 200 Pieces
0705003	<a href="#">PVC 2X4 PCS</a>	White Unembossed & Unsupported Vinyl Precut into 2 X 4 inches Pieces, Pack of 200 Pieces
<b><u>SAE Polystyrene Chip</u></b>		
0706001	<a href="#">PS CHIP</a>	Polystyrene Reference Plastic Standard Chips for use with Xenon Arc Weatherometer, Pack of 50 Pieces
<b><u>Swissatest (EMPA) Automotive Standard Reference Materials</u></b>		
0707001	<a href="#">EMPA 128/1</a>	Cotton Jeans, indigo/sulfur black, soiled with carbon black/olive oil, according VDA, Approx Width: 14 inches (35 cm), Linear Meter
0707002	<a href="#">EMPA 128/3</a>	Cotton Jeans, indigo/sulfur black, soiled with sebum and pigment Approx Width: 14 inches (35 cm), Linear Meter
0707003	<a href="#">EMPA 750</a>	Rubber membrane according GMW 4749 (GMW part-no. 14125), 3 pieces A5, Box of 3 Pieces
0707004	<a href="#">EMPA 751</a>	Velcro black according VDA 230-210, PV 3961, Roll of 25 Meters
<b><u>AATCC, ISO, IEC, AHAM AND OTHER CONSUMER DETERGENTS &amp; IDENTIFICATION STAINS</u></b>		
Item Number	Item Name	Item Description
<b><u>AATCC Standard Liquid &amp; Powder Detergents</u></b>		
0501001	<a href="#">AATCC LIQUID DET WOB 3.5GAL</a>	AATCC 2003 Standard Reference Liquid Detergent WITHOUT Optical Brighteners, 3.5 Gallon Bucket
0501002	<a href="#">AATCC POWDER DET OPT 1KG</a>	AATCC 1993 Standard Reference Powder Detergent WITH optical brighteners in 1 Kg special Bucket to withstand High Temperatures, 1 Kg High-density Polyethylene Bucket
0501003	<a href="#">AATCC POWDER DET OPT 5KG</a>	AATCC 1993 Standard Reference Powder Detergent WITH optical brighteners in 5 Kg special Bucket to withstand High Temperatures, 5 Kg High-density Polyethylene Bucket
0501004	<a href="#">AATCC POWDER DET OPT 10KG</a>	AATCC 1993 Standard Reference Powder Detergent WITH optical brighteners in 10 Kg special Bucket to withstand High Temperatures, 10 Kg High-density Polyethylene Bucket
0501005	<a href="#">AATCC POWDER DET OPT 24LBS</a>	AATCC 1993 Standard Reference Powder Detergent WITH optical brighteners in 24 Lbs special Bucket to withstand High Temperatures, 24 Lbs High-density Polyethylene Bucket
0501006	<a href="#">AATCC POWDER DET WOB 1KG</a>	AATCC 1993 Standard Reference Powder Detergent WITHOUT optical brighteners in 1 Kg special Bucket to withstand High Temperatures, 1 Kg High-density Polyethylene Bucket

0501007	<a href="#">AATCC POWDER DET WOB 5KG</a>	AATCC 1993 Standard Reference Powder Detergent WITHOUT optical brighteners in 5 Kg special Bucket to withstand High Temperatures, 5 Kg High-density Polyethylene Bucket
0501008	<a href="#">AATCC POWDER DET WOB 10KG</a>	AATCC 1993 Standard Reference Powder Detergent WITHOUT optical brighteners in 10 Kg special Bucket to withstand High Temperatures, 10 Kg High-density Polyethylene Bucket
0501009	<a href="#">AATCC POWDER DET WOB 24LBS</a>	AATCC 1993 Standard Reference Powder Detergent WITHOUT optical brighteners in 24 Lbs special Bucket to withstand High Temperatures, 24 Lbs High-density Polyethylene Bucket
<b><u>Clorox 2 Powder &amp; Liquid</u></b>		
0502001	<a href="#">CLOROX 2 LIQUID XXXL</a>	Clorox 2 Liquid contact us for currently available size
0502002	<a href="#">CLOROX 2 POWDER XXXKG</a>	Clorox 2 Powder, contact us for currently available size
<b><u>ISO, IEC, AHAM &amp; SASO Standard Detergents</u></b>		
0503001	<a href="#">AHAM F3 POWDER DETERGENT</a>	AHAM HLW-1 Test Detergent (2010), Box of 5 Kg
0503002	<a href="#">ECE 77 POWDER DETERGENT</a>	ECE reference detergent 77 for colour fastness ISO 105-C06, ISO 105-C02 without optical brightener, Box of 1 Kg
0503003	<a href="#">ECE 98 POWDER DETERGENT</a>	ECE reference detergent 98 for colour fastness ISO 105-C08/09, without phosphate, Box of 1 Kg
0503004	<a href="#">IEC A POWDER DETERGENT</a>	IEC reference detergent type A*, without phosphates, EN/IEC Publication 60456, Box of 5 Kg
0503005	<a href="#">IEC B POWDER DETERGENT</a>	IEC reference detergent type B, with phosphates, EN/IEC Publication 60456, Box of 5 Kg
0503006	<a href="#">ISO-A1 POWDER DETERGENT</a>	ISO 15797 Ref. Detergent A1 WITH optical brightener, Box of 25 Kg
0503007	<a href="#">ISO-A2 POWDER DETERGENT</a>	ISO 15797 Ref. Detergent A2 WITHOUT optical brightener, Box of 25 Kg
0503008	<a href="#">PERBORATE POWDER</a>	Perborate – tetrahydrate, bleaching agent Powder, Box of 1 Kg
0503009	<a href="#">SASO DET</a>	Non-Drum Type Detergent, Box of 5 Kg
0503010	<a href="#">STANDARD SOAP</a>	Standard Soap, 2 Kg High-density Polyethylene Bucket
0503011	<a href="#">TAED POWDER</a>	TAED Tetraacetythylenediamine, concentration 99% ± 0.5% Powder, Box of 250 Grams
<b><u>Test Method Specific Detergents &amp; Cleaning Products</u></b>		
0504001	<a href="#">CAT DET 1610</a>	Cationic Liquid Detergent for Test Method CFR1610, Bottle of 500 ml
0504002	<a href="#">PERKSHEEN</a>	Perksheen Cleaning Fluid for AATCC Test Method 132 (Dry Cleaning), Bottle of 1 Gallon
<b><u>Textile Fiber Identification Stains</u></b>		
0505001	<a href="#">TIS 1 250GRAMS</a>	Textile Identification Stain # 1 Gives better color differential between NATURAL fibers, Plastic Jar of 250 Grams
0505002	<a href="#">TIS 1 500GRAMS</a>	Textile Identification Stain # 1 Gives better color differential between NATURAL fibers, Plastic Jar of 500 Grams
0505003	<a href="#">TIS 3A 250GRAMS</a>	Textile Identification Stain #3A Gives better color differential between SYNTHETIC fibers, Plastic Jar of 250 Grams
0505004	<a href="#">TIS 3A 500GRAMS</a>	Textile Identification Stain #3A Gives better color differential between SYNTHETIC fibers, Plastic Jar of 500 Grams
0505005	<a href="#">TIS 4 100GRAMS</a>	Textile Identification Dupont Stain 4, Gives better color differential between NATURAL & SYNTHETIC fibers, Plastic Jar of 100 Grams
<b><u>Tide Liquid Detergent</u></b>		
0506001	<a href="#">TIDE LIQUID XXXL</a>	Tide Liquid US Detergent, contact us for currently available size, Bottle
<b><u>Tide Powder Detergent</u></b>		
0507001	<a href="#">TIDE POWDER XXXKG MS</a>	Tide Powder Mountain Spring US Detergent, contact us for currently available size

0507002	<a href="#">TIDE POWDER XXXKG OS</a>	Tide Powder Original Scent US Detergent, contact us for currently available size
<b><u>US, UK &amp; International Consumer Laundry Detergents &amp; Cleaning Products</u></b>		
0508001	<a href="#">PERSIL POWDER XXXKG</a>	Persil Powder UK Laundry Detergent, contact us for currently available size
0508002	<a href="#">WOOLITE LIQUID XXXL</a>	Woolite Liquid US Laundry Detergent, contact us for currently available size
<b><u>AATCC (AMERICAN) &amp; ISO (EUROPEAN) &amp; OTHER MULTIFIBER TEST FABRICS</u></b>		
Item Number	Item Name	Item Description
<b><u>AATCC MFF 1 (6 fibers 8 mm bands) of Acetate, Cotton, Nylon, Silk, Viscose &amp; Wool</u></b>		
0401001	<a href="#">MFF 1 PRECUT 2X2 CCE PCS</a>	AATCC Multifiber test fabric # 1 precut pieces of 2 X 2 inches (5 X 5 cm) Cold Cut Edges (WITHOUT Heat Sealed Edges). Six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, silk, viscose and wool. Precisely cold cut edges for use any stationary test such as AATCC TM 15-Colorfastness to Perspiration done in a perspiration tester. Pack of 500 Pieces
0401002	<a href="#">MFF 1 PRECUT 2X2 HSE PCS</a>	AATCC Multifiber test fabric # 1 precut pieces of 2 X 2 inches (5 X 5 cm) WITH Heat Sealed (Fused) Edges. Six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, silk, viscose and wool. Precisely cut, heat sealed edges to use in any mechanical action test such as AATCC TM 61-Colorfastness to Laundering testing done in a Laundrometer. Pack of 500 Pieces
0401003	<a href="#">MFF 1 PRECUT 2X2 OCE PCS</a>	AATCC Multifiber test fabric # 1 precut pieces of 2 X 2 inches (5 X 5 cm) WITH 2 Overcast (Serged) Edges and 2 Heat Sealed (Fused) Edges. Six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, silk, viscose and wool. Precisely cut, heat sealed & serged for use in any heavy mechanical action test such as AATCC TM 61 (3A & 4A)-Colorfastness to Laundering test done in a Laundrometer. Pack of 500 Pieces
0401004	<a href="#">MFF 1 PRECUT 2X4 CCE PCS</a>	AATCC Multifiber test fabric # 1 precut pieces of 2 X 4 inches (5 X 10 cm) Cold Cut Edges (WITHOUT Heat Sealed Edges). Six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, silk, viscose and wool. Precisely cold cut edges for use any stationary test such as AATCC TM 15-Colorfastness to Perspiration done in a perspiration tester. Pack of 250 Pieces
0401005	<a href="#">MFF 1 PRECUT 2X4 HSE PCS</a>	AATCC Multifiber test fabric # 1 precut pieces of 2 X 4 inches (5 X 10 cm) WITH Heat Sealed (Fused) Edges. Six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, silk, viscose and wool. Precisely Heat Sealed Edges to use in any mechanical action test such as AATCC TM 61-Colorfastness to Laundering testing done in a Laundrometer. Pack of 250 Pieces

0401006	<a href="#">MFF 1 UNCUT 1M PACK</a>	<p>AATCC Multifiber test fabric # 1, the six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, silk, viscose and wool.                  Note: Tesfabrics, Inc. does not accept any returns in case if any error occurs during cutting. For precision, consistency and efficiency we recommend MFF PRECUT PIECES available in Cold Cut Edges, Heat Sealed Edges &amp; Overcast Edges.                  Approx Width: 34 inches (86 cm), Pack of 1 Meter</p>
0401007	<a href="#">MFF 1 UNCUT 5M PACK</a>	<p>AATCC Multifiber test fabric # 1, the six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, silk, viscose and wool.                  Note: Tesfabrics, Inc. does not accept any returns in case if any error occurs during cutting. For precision, consistency and efficiency we recommend MFF PRECUT PIECES available in Cold Cut Edges, Heat Sealed Edges &amp; Overcast Edges.                  Approx Width: 34 inches (86 cm), Pack of 5 Meters</p>
0401008	<a href="#">MFF 1 UNCUT 25M ROLL</a>	<p>AATCC Multifiber test fabric # 1, the six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, silk, viscose and wool.                  Note: Tesfabrics, Inc. does not accept any returns in case if any error occurs during cutting. For precision, consistency and efficiency we recommend MFF PRECUT PIECES available in Cold Cut Edges, Heat Sealed Edges &amp; Overcast Edges.                  Approx Width: 34 inches (86 cm), Roll of 25 Meters</p>
<b><u>AATCC (AMERICAN) &amp; ISO (EUROPEAN) &amp; OTHER MULTIFIBER TEST FABRICS</u></b>		
<b>Item Number</b>	<b>Item Name</b>	<b>Item Description</b>
<b><u>AATCC MFF 10 (6 fibers 8 mm bands) of Acetate, Cotton, Nylon, Polyester, Acrylic &amp; Wool</u></b>		
0402001	<a href="#">MFF 10 PRECUT 2X2 CCE PCS</a>	<p>AATCC Multifiber test fabric # 10 precut pieces of 2 X 2 inches (5 X 5 cm) Cold Cut Edges (WITHOUT Heat Sealed Edges)                  Six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool.                  Precisely cold cut edges for use in any stationary test such as AATCC TM 15-Colorfastness to Perspiration done in a perspiration tester.                  Pack of 500 Pieces</p>
0402002	<a href="#">MFF 10 PRECUT 2X2 HSE PCS</a>	<p>AATCC Multifiber test fabric # 10 precut pieces of 2 X 2 inches (5 X 5 cm) WITH Heat Sealed (Fused) Edges                  Six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool.                  Precisely cut, heat sealed edges to use in any mechanical action test such as AATCC TM 61-Colorfastness to Laundering testing done in a Laundrometer.                  Pack of 500 Pieces</p>

0402003	<a href="#">MFF 10 PRECUT 2X2 OCE PCS</a>	AATCC Multifiber test fabric # 10 precut pieces of 2 X 2 inches (5 X 5 cm) WITH 2 Overcast (Serged) Edges and 2 Heat Sealed (Fused) Edges. Six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Precisely cut, heat sealed & serged for use in any heavy mechanical action test such as AATCC TM 61 (3A & 4A)-Colorfastness to Laundering test done in a Laundrometer. Pack of 500 Pieces
0402004	<a href="#">MFF 10 PRECUT 2X4 CCE PCS</a>	AATCC Multifiber test fabric # 10 precut pieces of 2 X 4 inches (5 X 10 cm) Cold Cut Edges (WITHOUT Heat Sealed Edges) Six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Precisely cold cut edges for use any stationary test such as AATCC TM 15-Colorfastness to Perspiration done in a perspiration tester. Pack of 250 Pieces
0402005	<a href="#">MFF 10 PRECUT 2X4 HSE PCS</a>	AATCC Multifiber test fabric # 10 precut pieces of 2 X 4 inches (5 X 10 cm) WITH Heat Sealed (Fused) Edges Six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Precisely Heat Sealed Edges to use in any mechanical action test such as AATCC TM 61-Colorfastness to Laundering testing done in a Laundrometer Pack of 250 Pieces
0402006	<a href="#">MFF 10 UNCUT 1M PACK</a>	AATCC Multifiber test fabric # 10, the six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Note: Tesfabrics, Inc. does not accept any returns in case if any error occurs during cutting. For precision, consistency and efficiency we recommend MFF PRECUT PIECES available in Cold Cut Edges, Heat Sealed Edges & Overcast Edges. Approx Width: 34 inches (86 cm), Pack of 1 Meter
0402007	<a href="#">MFF 10 UNCUT 5M PACK</a>	AATCC Multifiber test fabric # 10, the six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Note: Tesfabrics, Inc. does not accept any returns in case if any error occurs during cutting. For precision, consistency and efficiency we recommend MFF PRECUT PIECES available in Cold Cut Edges, Heat Sealed Edges & Overcast Edges. Approx Width: 34 inches (86 cm), Pack of 5 Meters
0402008	<a href="#">MFF 10 UNCUT 25M ROLL</a>	AATCC Multifiber test fabric # 10, the six fiber (8 mm [0.33 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Note: Tesfabrics, Inc. does not accept any returns in case if any error occurs during cutting. For precision, consistency and efficiency we recommend MFF PRECUT PIECES available in Cold Cut Edges, Heat Sealed Edges & Overcast Edges. Approx Width: 34 inches (86 cm), Roll of 25 Meters
<b><u>AATCC (AMERICAN) &amp; ISO (EUROPEAN) &amp; OTHER MULTIFIBER TEST FABRICS</u></b>		
Item Number	Item Name	Item Description
<b><u>AATCC MFF 10A (ISO DW) (6 fibers 15mm bands) of Acetate, Cotton, Nylon, Polyester, Acrylic &amp; Wool</u></b>		
0403001	<a href="#">MFF 10A (DW) PRECUT 4X10 CCE PCS</a>	AATCC & ISO (DW) Multifiber test fabric # 10A (DW) precut pieces of 4 X 10 cm (1.57 X 3.93 inches) Cold Cut Edges (WITHOUT Heat Sealed Edges). Six fiber (15 mm [0.6 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Precisely cold cut edges for use in any stationary tests done in a perspiration tester. Pack of 250 Pieces

0403002	<a href="#">MFF 10A (DW) PRECUT 4X10 HSE PCS</a>	<p>AATCC &amp; ISO (DW) Multifiber test fabric # 10A (DW) precut pieces of 4 X 10 cm (1.57 X 3.93 inches) WITH Heat Sealed (Fused) Edges. Six fiber (15 mm [0.6 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Precisely Heat Sealed Edges to use in any mechanical action test such as AATCC TM 61-Colorfastness to Laundering testing done in a Laundrometer. Pack of 250 Pieces</p>
0403003	<a href="#">MFF 10A (DW) PRECUT 4X10 OCE PCS</a>	<p>AATCC &amp; ISO (DW) Multifiber test fabric # 10A (DW) precut pieces of 4 X 10 cm (1.57 X 3.93 inches) WITH 2 Overcast (Serged) Edges and 2 Heat Sealed (Fused) Edges. Six fiber (15 mm [0.6 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Precisely cut, heat sealed &amp; serged for use in any heavy mechanical action test such as AATCC TM 61 (3A &amp; 4A)-Colorfastness to Laundering test done in a Laundrometer. Pack of 250 Pieces</p>
0403004	<a href="#">MFF 10A (DW) PRECUT 5X10 CCE PCS</a>	<p>AATCC &amp; ISO (DW) Multifiber test fabric # 10A (DW) precut pieces of 5 X 10 cm (1.96 X 3.93 inches) Cold Cut Edges (WITHOUT Heat Sealed Edges). Six fiber (15 mm [0.6 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Precisely cold cut edges for use any stationary test such as AATCC TM 15-Colorfastness to Perspiration done in a perspiration tester. Pack of 250 Pieces</p>
0403005	<a href="#">MFF 10A (DW) PRECUT 5X10 HSE PCS</a>	<p>AATCC &amp; ISO (DW) Multifiber test fabric # 10A (DW) precut pieces of 5 X 10 cm (1.96 X 3.93 inches) WITH Heat Sealed (Fused) Edges. Six fiber (15 mm [0.6 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Precisely Heat Sealed Edges to use in any mechanical action test such as AATCC TM 61-Colorfastness to Laundering testing done in a Laundrometer. Pack of 250 Pieces</p>
0403006	<a href="#">MFF 10A (DW) UNCUT 1M PACK</a>	<p>AATCC &amp; ISO (DW) Multifiber test fabric # 10A (DW), six fiber (15 mm [0.6 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Note: Testfabrics, Inc. does not accept any returns in case if any error occurs during cutting. For precision, consistency and efficiency we recommend MFF PRECUT PIECES available in Cold Cut Edges, Heat Sealed Edges &amp; Overcast Edges. Approx Width: 34 inches (86 cm), Pack of 1 Meter</p>
0403007	<a href="#">MFF 10A (DW) UNCUT 5M PACK</a>	<p>AATCC &amp; ISO (DW) Multifiber test fabric # 10A (DW), six fiber (15 mm [0.6 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Note: Testfabrics, Inc. does not accept any returns in case if any error occurs during cutting. For precision, consistency and efficiency we recommend MFF PRECUT PIECES available in Cold Cut Edges, Heat Sealed Edges &amp; Overcast Edges. Approx Width: 34 inches (86 cm), Pack of 5 Meters</p>
0403008	<a href="#">MFF 10A (DW) UNCUT 25M ROLL</a>	<p>AATCC &amp; ISO (DW) Multifiber test fabric # 10A (DW), six fiber (15 mm [0.6 in.] bands) containing acetate, cotton, nylon, polyester, acrylic and wool. Note: Testfabrics, Inc. does not accept any returns in case if any error occurs during cutting. For precision, consistency and efficiency we recommend MFF PRECUT PIECES available in Cold Cut Edges, Heat Sealed Edges &amp; Overcast Edges. Approx Width: 34 inches (86 cm), Roll of 25 Meters</p>



<b>AATCC (AMERICAN) &amp; ISO (EUROPEAN) &amp; OTHER MULTIFIBER TEST FABRICS</b>		
<b>Item Number</b>	<b>Item Name</b>	<b>Item Description</b>
<b>ISO MFF 41 (TV) (6 fibers 1.5 cm stripe) of Triacetate, Cotton, Polyamide, Polyester, Acrylic &amp; Viscose</b>		
0404001	<a href="#">MFF 41 (TV) PRECUT 4X10 CCE</a>	ISO Multifibre adjacent fabric Type "TV" precut pieces of 4 X 10 cm (1.57 X 3.93 inches) Cold Cut Straight Edges (WITHOUT Heat Sealed Edges). Six fiber (1.5 cm stripe) containing triacetate, cotton, polyamide, polyester, acrylic and viscose. Pack of 250 Pieces
0404002	<a href="#">MFF 41 (TV) PRECUT 5X10 CCE</a>	ISO Multifibre adjacent fabric Type "TV" precut pieces of 5 X 10 cm (1.96 X 3.93 inches) Cold Cut Pinked Edges (WITHOUT Heat Sealed Edges). Six fiber (1.5 cm stripe) containing triacetate, cotton, polyamide, polyester, acrylic and viscose. Pack of 250 Pieces
0404003	<a href="#">MFF 41 (TV) 10M ROLL</a>	ISO Multifibre adjacent fabric Type "TV" Six fiber (1.5 cm stripe) containing triacetate, cotton, polyamide, polyester, acrylic and viscose. Approx Width: 4 inches (10 cm), Roll of 10 Meters
0404004	<a href="#">MFF 41 (TV) 50M ROLL</a>	ISO Multifibre adjacent fabric Type "TV" Six fiber (1.5 cm stripe) containing triacetate, cotton, polyamide, polyester, acrylic and viscose. Approx Width: 4 inches (10 cm), Roll of 50 Meters
<b>ISO MFF 42 (DW) (6 fibers 1.5 cm stripe) of Acetate, Cotton, Polyamide, Polyester, Acrylic &amp; Wool</b>		
0405001	<a href="#">MFF 42 (DW) PRECUT 4X10 CCE</a>	ISO Multifibre adjacent fabric Type "DW" precut pieces of 4 X 10 cm (1.57 X 3.93 inches) Cold Cut Straight Edges (WITHOUT Heat Sealed Edges). Six fiber (1.5 cm stripe) containing acetate, cotton, polyamide, polyester, acrylic and wool. Pack of 250 Pieces
0405002	<a href="#">MFF 42 (DW) PRECUT 5X10 CCE</a>	ISO Multifibre adjacent fabric Type "DW" precut pieces of 5 X 10 cm (1.96 X 3.93 inches) Cold Cut Pinked Edges (WITHOUT Heat Sealed Edges). Six fiber (1.5 cm stripe) containing acetate, cotton, polyamide, polyester, acrylic and wool. Pack of 250 Pieces
0405003	<a href="#">MFF 42 (DW) 10M ROLL</a>	ISO Multifibre adjacent fabric Type "DW" Six fiber (1.5 cm stripe) containing acetate, cotton, polyamide, polyester, acrylic and wool. Approx Width: 4 inches (10 cm), Roll of 10 Meters
0405004	<a href="#">MFF 42 (DW) 50M ROLL</a>	ISO Multifibre adjacent fabric Type "DW" Six fiber (1.5 cm stripe) containing acetate, cotton, polyamide, polyester, acrylic and wool. Approx Width: 4 inches (10 cm), Roll of 50 Meters
<b>AATCC (AMERICAN) &amp; ISO (EUROPEAN) &amp; OTHER MULTIFIBER TEST FABRICS</b>		
<b>Item Number</b>	<b>Item Name</b>	<b>Item Description</b>
<b>MFF 43 (13 fibers 8 mm stripe) of Acetate, SEF (Modacrylic, fire retardant), Triacetate, Cotton, Polyacrylic, Disperse Dyeable Polyester, Cationic Dyeable Polyester, Nylon (Polyamide), Polyacrylic, Silk, Polypropylene, Viscose and Wool.</b>		
0408001	<a href="#">MFF 43 PRECUT 5X10 CCE PCS</a>	Thirteen fiber (8 mm [0.33 cm] bands) containing Acetate, SEF (Modacrylic, fire retardant), Triacetate, Cotton, Polyacrylic, Disperse Dyeable Polyester, Cationic Dyeable Polyester, Nylon (Polyamide), Polyacrylic, Silk, Polypropylene, Viscose and Wool. Pack of 250 Pieces Thirteen fiber (8 mm [0.33 cm] bands) containing Acetate, SEF (Modacrylic, fire retardant), Triacetate, Cotton, Polyacrylic, Disperse Dyeable Polyester, Cationic Dyeable Polyester, Nylon (Polyamide), Polyacrylic, Silk, Polypropylene, Viscose and Wool. Pack of 250 Pieces

0408002	<a href="#">MFF 43 UNCUT 10M ROLL</a>	Multifiber test fabric MFF 43 Thirteen fiber (8 mm [0.33 cm] bands) containing Acetate, SEF (Modacrylic, fire retardant), Triacetate, Cotton, Polyacrylic, Disperse Dyeable Polyester, Cationic Dyeable Polyester, Nylon (Polyamide), Polyacrylic, Silk, Polypropylene, Viscose and Wool. Approx Width: 5 inches (12 cm), Roll of 10 Meters
0408003	<a href="#">MFF 43 UNCUT 50M ROLL</a>	Multifiber test fabric MFF 43 Thirteen fiber (8 mm [0.33 cm] bands) containing Acetate, SEF (Modacrylic, fire retardant), Triacetate, Cotton, Polyacrylic, Disperse Dyeable Polyester, Cationic Dyeable Polyester, Nylon (Polyamide), Polyacrylic, Silk, Polypropylene, Viscose and Wool. Approx Width: 5 inches (12 cm), Roll of 50 Meters

[JCPenney MFF 49 \(8 fibers 1.25cm stripe\) of Eight fiber \(1.25 cm stripe\) containing Acetate, Cotton, Polyamide, Polyester, Acrylic, Silk, Viscose and Wool.](#)

0406001	<a href="#">MFF 49 PRECUT 5X10 CCE PCS</a>	JC Penney Multifiber test fabric MFF 49 precut pieces of 5 X 10 cm (1.96 X 3.93 inches) Cold Cut Edges. 2 woven edges and 2 cold cut edges Eight fiber (1.25 cm stripe) containing acetate, cotton, polyamide, polyester, acrylic, silk, viscose and wool. Pack of 250 Pieces
0406002	<a href="#">MFF 49 UNCUT 10M ROLL</a>	JC Penney Multifiber test fabric MFF 49 Eight fiber (1.25 cm stripe) containing acetate, cotton, polyamide, polyester, acrylic, silk, viscose and wool. Approx Width: 4 inches (10 cm), Roll of 10 Meters
0406003	<a href="#">MFF 49 UNCUT 50M ROLL</a>	JC Penney Multifiber test fabric MFF 49 Eight fiber (1.25 cm stripe) containing acetate, cotton, polyamide, polyester, acrylic, silk, viscose and wool. Approx Width: 4 inches (10 cm), Roll of 50 Meters

**FABRICS**

Item Number	Item Name	Item Description
<a href="#">Acetate Fabrics</a>		
1401001	<a href="#">105B</a>	Acetate Satin Bright Warp, Delustered Filling Approx Weight: 177 grams/meter <sup>2</sup> (5.2 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1401002	<a href="#">122</a>	Acetate Tricot All Delustered Filament Approx Weight: 78 grams/meter <sup>2</sup> (2.3 ounces/yard <sup>2</sup> ) Approx Width: 52 inches (132 cm), Linear Meter
<a href="#">Acrylic Fabrics</a>		
1402001	<a href="#">871</a>	Spun Acrylic Woven Fabric. Plain Weave Approx Weight: 190 grams/meter <sup>2</sup> (5.6 ounces/yard <sup>2</sup> ) Approx Width: 44 inches (111 cm), Linear Meter
1402002	<a href="#">981</a>	Creslan Acrylic Type 61 Approx Weight: 135 grams/meter <sup>2</sup> (3.98 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter
<a href="#">Cotton Fabrics</a>		

1403001	<a href="#">400</a>	Bleached Desized Cotton Print Cloth Note: Style 400 is no longer an ISO Adjacent Cotton, for ISO Adjacent Cotton please refer to available item ISO ADJ COTTON Approx Weight: 100 grams/meter <sup>2</sup> (2.94 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter
1403002	<a href="#">400M</a>	Bleached Desized Mercerized Cotton Print Cloth Approx Weight: 107 grams/meter <sup>2</sup> (3.15 ounces/yard <sup>2</sup> ) Approx Width: 44 inches (112 cm), Linear Meter
1403003	<a href="#">400R</a>	Greige Cotton Print Cloth Approx Weight: 122 grams/meter <sup>2</sup> (3.59 ounces/yard <sup>2</sup> ) Approx Width: 48 inches (122 cm), Linear Meter
1403004	<a href="#">400U</a>	Desized, Unbleached Cotton Print Cloth Approx Weight: 108 grams/meter <sup>2</sup> (3.18 ounces/yard <sup>2</sup> ) Approx Width: 44 inches (112 cm), Linear Meter
1403005	<a href="#">403</a>	Cotton Interlock Knit Tubular Approx Weight: 271 grams/meter <sup>2</sup> (7.96 ounces/yard <sup>2</sup> ) Approx Width: 72 inches (182 cm), Linear Meter
1403006	<a href="#">407</a>	Bleached Mercerized Cotton Poplin Approx Weight: 180 grams/meter <sup>2</sup> (5.3 ounces/yard <sup>2</sup> ) Approx Width: 64 inches (163 cm), Linear Meter
1403007	<a href="#">408</a>	# 4 Greige Cotton Duck Approx Weight: 858 grams/meter <sup>2</sup> (25.3 ounces/yard <sup>2</sup> ) Approx Width: 36 inches (91 cm), Linear Meter
1403008	<a href="#">410</a>	# 6 Greige Cotton Duck Approx Weight: 775 grams/meter <sup>2</sup> (22.85 ounces/yard <sup>2</sup> ) Approx Width: 36 inches (91 cm), Linear Meter
1403009	<a href="#">411</a>	Cotton Corduroy 16 Wale Approx Weight: 255 grams/meter <sup>2</sup> (7.52 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1403010	<a href="#">418</a>	Bleached, Combed Broadcloth (Unmercerized) Approx Weight: 120 grams/meter <sup>2</sup> (3.53 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter
1403011	<a href="#">419</a>	Bleached, Mercerized Combed Broadcloth 45" wide Approx Weight: 120 grams/meter <sup>2</sup> (3.53 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter
1403012	<a href="#">419B</a>	Bleached, Mercerized Combed Broadcloth (With wash/wear finish) Approx Weight: 125 grams/meter <sup>2</sup> (3.68 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1403013	<a href="#">419W</a>	Bleached, Mercerized Combed Broadcloth Approx Weight: 120 grams/meter <sup>2</sup> (3.53 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1403014	<a href="#">419WB</a>	Black Dischargeable Broadcloth Approx Weight: 125 grams/meter <sup>2</sup> (3.68 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1403015	<a href="#">420BR</a>	Bleached Cotton Terry Cloth (With optical brightener) Approx Weight: 306 grams/meter <sup>2</sup> (9.02 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1403016	<a href="#">423</a>	Bleached, Mercerized Cotton Twill Approx Weight: 258 grams/meter <sup>2</sup> (7.6 ounces/yard <sup>2</sup> ) Approx Width: 62 inches (157 cm), Linear Meter

1403017	<a href="#">425</a>	Bleached Cotton Flannel (With optical brightener) Napped both sides Approx Weight: 122 grams/meter <sup>2</sup> (3.6 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter
1403018	<a href="#">425U</a>	Unbleached Cotton Flannel Approx Weight: 125 grams/meter <sup>2</sup> (3.68 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm) , Linear Meter
1403019	<a href="#">426</a>	# 10 Greige Cotton Duck Approx Weight: 500 grams/meter <sup>2</sup> (14.74 ounces/yard <sup>2</sup> ) Approx Width: 36 inches (91 cm), Linear Meter
1403020	<a href="#">428</a>	Army Carded Cotton Sateen, Desized and Bleached Approx Weight: 235 grams/meter <sup>2</sup> (6.93 ounces/yard <sup>2</sup> ) Approx Width: 54 inches (137 cm), Linear Meter
1403021	<a href="#">428U</a>	Army Carded Cotton Sateen, Desized and Unbleached Approx Weight: 224 grams/meter <sup>2</sup> (6.6 ounces/yard <sup>2</sup> ) Approx Width: 54 inches (137 cm), Linear Meter
1403022	<a href="#">429W</a>	Bleached Combed Cotton Fabric Approx Weight: 100 grams/meter <sup>2</sup> (2.94 ounces/yard <sup>2</sup> ) Approx Width: 55 inches (140 cm), Linear Meter
1403023	<a href="#">435</a>	Combed Cotton Batiste Approx Weight: 70 grams/meter <sup>2</sup> (2.06 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter
1403024	<a href="#">437-60</a>	Bleached Cotton T-shirt Fabric 60" Open Width Approx Weight: 124 grams/meter <sup>2</sup> (3.65 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1403025	<a href="#">437W</a>	Bleached Cotton T-shirt Fabric 30" Tubular Approx Weight: 149 grams/meter <sup>2</sup> (4.4 ounces/yard <sup>2</sup> ) Approx Width: 30 inches (76 cm), Linear Meter
1403026	<a href="#">439UXW</a>	Unbleached, Percale Sheeting Approx Weight: 123 grams/meter <sup>2</sup> (3.62 ounces/yard <sup>2</sup> ) Approx Width: 110 inches (279 cm), Linear Meter
1403027	<a href="#">439XW</a>	Percale Sheeting (With optical brightener) Approx Weight: 120 grams/meter <sup>2</sup> (3.53 ounces/yard <sup>2</sup> ) Approx Width: 110 inches (279 cm), Linear Meter
1403028	<a href="#">447</a>	Cotton Organdy (With optical brightener) Approx Weight: 70 grams/meter <sup>2</sup> (2.06 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter
1403029	<a href="#">448</a>	Bleached Cotton Velveteen Approx Weight: 265 grams/meter <sup>2</sup> (7.81 ounces/yard <sup>2</sup> ) Approx Width: 54 inches (137 cm), Linear Meter
1403030	<a href="#">453</a>	Bleached, Mercerized Combed Cotton Broadcloth (Sanforized) Approx Weight: 120 grams/meter <sup>2</sup> (3.53 ounces/yard <sup>2</sup> ) Approx Width: 44 inches (112 cm), Linear Meter
1403031	<a href="#">459</a>	Bleached Cotton Knit - Sport shirt weight Tubular, Lacoste Approx Weight: 175 grams/meter <sup>2</sup> (5.16 ounces/yard <sup>2</sup> ) Approx Width: 30 inches (76 cm), Linear Meter
1403032	<a href="#">460</a>	Bleached Cotton Interlock Knit 30" Tubular Approx Weight: 198 grams/meter <sup>2</sup> (5.83 ounces/yard <sup>2</sup> ) Approx Width: 30 inches (76 cm), Linear Meter

1403033	<a href="#">460-60</a>	Bleached Cotton Interlock Knit 60" Open Width Approx Weight: 183 grams/meter <sup>2</sup> (5.4 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1403034	<a href="#">460B</a>	Cotton Interlock Knit Direct Black, 30" Tubular Approx Weight: 215 grams/meter <sup>2</sup> (6.34 ounces/yard <sup>2</sup> ) Approx Width: 30 inches (76 cm), Linear Meter
1403035	<a href="#">460U</a>	Unbleached Cotton Interlock Knit 30" Tubular Approx Weight: 198 grams/meter <sup>2</sup> (5.8 ounces/yard <sup>2</sup> ) Approx Width: 30 inches (76 cm), Linear Meter
1403036	<a href="#">464</a>	Desized, Bleached Cotton Duck (7oz) (With optical brightener) Approx Weight: 220 grams/meter <sup>2</sup> (6.48 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1403037	<a href="#">464U</a>	Desized, Unbleached Cotton Duck (Approx. 7 Oz) Approx Weight: 217 grams/meter <sup>2</sup> (6.4 ounces/yard <sup>2</sup> ) Approx Width: 58 inches (147 cm), Linear Meter
1403038	<a href="#">465</a>	Desized, Bleached Heavy Sail Cloth (10oz) (With optical brightener) Approx Weight: 282 grams/meter <sup>2</sup> (8.31 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1403039	<a href="#">465U</a>	Desized, Unbleached Heavy Sail Cloth (10oz) Approx Weight: 282 grams/meter <sup>2</sup> (8.31 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1403040	<a href="#">466</a>	Desized, Bleached Army Duck (10oz) (With optical brightener) Approx Weight: 315 grams/meter <sup>2</sup> (9.29 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1403041	<a href="#">466U</a>	Desized, Unbleached Army Duck (10oz) Approx Weight: 330 grams/meter <sup>2</sup> (9.73 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1403042	<a href="#">474</a>	# 8 Greige Cotton Duck Approx Weight: 600 grams/meter <sup>2</sup> (17.69 ounces/yard <sup>2</sup> ) Approx Width: 36 inches (91 cm), Linear Meter
1403043	<a href="#">479</a>	Mercerized Combed Cotton Warp Sateen Approx Weight: 155 grams/meter <sup>2</sup> (4.57 ounces/yard <sup>2</sup> ) Approx Width: 55 inches (140 cm), Linear Meter
1403044	<a href="#">480M</a>	Bleached, Mercerized, Combed Cotton Filling Sateen Approx Weight: 111 grams/meter <sup>2</sup> (3.27 ounces/yard <sup>2</sup> ) Approx Width: 58 inches (147 cm), Linear Meter
1403045	<a href="#">492</a>	Cotton Interlock Light Weight Knit 30" Tubular Approx Weight: 140 grams/meter <sup>2</sup> (4.12 ounces/yard <sup>2</sup> ) Approx Width: 30 inches (76 cm), Linear Meter
1403046	<a href="#">492-58</a>	Cotton Interlock Light Weight Approx Weight: 140 grams/meter <sup>2</sup> (4.12 ounces/yard <sup>2</sup> ) Approx Width: 58 inches (147 cm), Linear Meter
1403047	<a href="#">493</a>	100% Cotton sheeting, singed, desized, scoured, bleached (peroxide) without finishes Griege Construction: 60 warp ends/inch x 60 weft picks/inch Workhorse commodity fabric, pfd/pfp, not pre-shrunk Approx Weight: 151 grams/meter <sup>2</sup> (4.45 ounces/yard <sup>2</sup> ) Approx Width: 54 inches (137 cm), Linear Meter

1403048	<a href="#">493U</a>	Unbleached 100% Cotton sheeting Griege Construction: 60 warp ends/inch x 60 weft picks/inch Workhorse commodity fabric, not pre-shrunk Approx Weight: 149 grams/meter <sup>2</sup> (4.39 ounces/yard <sup>2</sup> ) Approx Width: 55 inches (140 cm), Linear Meter
1403049	<a href="#">494</a>	Bleached Mercerized Cotton Twill Approx Weight: 186 grams/meter <sup>2</sup> (5.48 ounces/yard <sup>2</sup> ) Approx Width: 58 inches (147 cm), Linear Meter
1403050	<a href="#">AC</a>	Airplane Cloth Desized, Unbleached, Mercerized Approx Weight: 133 grams/meter <sup>2</sup> (3.92 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
<b><u>Dyed Polyester Fabrics</u></b>		
1404001	<a href="#">700-8752</a>	Polyester "Organza" without any finishes available in 22 colors Approx Weight: 70 grams/meter <sup>2</sup> (2.2 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1404002	<a href="#">700-8752 CC</a>	Color Card with 1 inch x 2 inches fabric sample of all 22 colors of Polyester "Organza" without any finishes, Card
<b><u>Filament Polyester Fabrics</u></b>		
1405001	<a href="#">720</a>	Texturized Polyester Double Knit Jersey (Disperse Dyeable) Approx Weight: 200 grams/meter <sup>2</sup> (5.89 ounces/yard <sup>2</sup> ) Approx Width: 52 inches (132 cm)
1405002	<a href="#">720H</a>	Texturized Polyester Double Knit Jersey Heat Set (Disperse Dyeable) Approx Weight: 206 grams/meter <sup>2</sup> (6.07 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1405003	<a href="#">730</a>	Texturized Polyester Interlock Knit Fabric (Disperse Dyeable) Approx Weight: 106 grams/meter <sup>2</sup> (3.12 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1405004	<a href="#">749</a>	Filament Polyester Oxford Weave Approx Weight: 168 grams/meter <sup>2</sup> (4.95 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
<b><u>Glass Fabrics</u></b>		
1406001	<a href="#">978</a>	Glass Fabric Approx Weight: 206 grams/meter <sup>2</sup> (6.07 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
<b><u>Hemp Fabrics</u></b>		
1407001	<a href="#">H-100</a>	100% Hemp Suiting 4.6 oz/yd Approx Weight: 154 grams/meter <sup>2</sup> (4.54 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
<b><u>Linen Fabrics</u></b>		
1408001	<a href="#">L-2</a>	Linen Canvas Loomstate Approx Weight: 465 grams/meter <sup>2</sup> (13.71 ounces/yard <sup>2</sup> ) Approx Width: 54 inches (137 cm), Linear Meter
1408002	<a href="#">L-5-52</a>	Linen Canvas Loomstate Approx Weight: 443 grams/meter <sup>2</sup> (13 ounces/yard <sup>2</sup> ) Approx Width: 52 inches (132 cm) ,Linear Meter
1408003	<a href="#">L-5-72</a>	Linen Canvas Loomstate Approx Weight: 443 grams/meter <sup>2</sup> (13 ounces/yard <sup>2</sup> ) Approx Width: 72 inches (183 cm) , Linear Meter

1408004	<a href="#">L-5-96</a>	Linen Canvas Loomstate Approx Weight: 443 grams/meter <sup>2</sup> (13 ounces/yard <sup>2</sup> ) Approx Width: 96 inches (244 cm), Linear Meter
1408005	<a href="#">L-5040</a>	Cotton/Linen 56/44 Blend Approx Weight: 217 grams/meter <sup>2</sup> (6.4 ounces/yard <sup>2</sup> ) Approx Width: 55 inches (140 cm), Linear Meter
1408006	<a href="#">L-51</a>	Linen Suiting, Oyster Approx Weight: 246 grams/meter <sup>2</sup> (7.25 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1408007	<a href="#">L-53</a>	Linen Suiting Natural Approx Weight: 290 grams/meter <sup>2</sup> (8.55 ounces/yard <sup>2</sup> ) Approx Width: 58 inches (147 cm), Linear Meter
1408008	<a href="#">L-54</a>	Suiting, finer than L-51 Approx Weight: 218 grams/meter <sup>2</sup> (6.42 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1408009	<a href="#">L-61</a>	Handkerchief Linen Approx Weight: 86 grams/meter <sup>2</sup> (2.53 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1408010	<a href="#">L-61U</a>	Unbleached Handkerchief Linen Approx Weight: 90 grams/meter <sup>2</sup> (2.65 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm)
1408011	<a href="#">L-8</a>	Lighter weight Canvas Linen Loomstate Approx Weight: 240 grams/meter <sup>2</sup> (7.07 ounces/yard <sup>2</sup> ) Approx Width: 84 inches (213 cm), Linear Meter
1408012	<a href="#">L-9</a>	Linen Canvas Loomstate Approx Weight: 320 grams/meter <sup>2</sup> (9.43 ounces/yard <sup>2</sup> ) Approx Width: 84 inches (213 cm), Linear Meter
<b><a href="#">Nomex Fabrics</a></b>		
1409001	<a href="#">NOMEX</a>	NOMEX DEFENDER 750 YELLOW For ASTM F1868 Approx Width: 60 inches (152 cm), Linear Meter
<b><a href="#">Nylon Fabrics</a></b>		
1410001	<a href="#">304</a>	Filament Nylon 6 Tricot-Bright Approx Weight: 73 grams/meter <sup>2</sup> (2.15 ounces/yard <sup>2</sup> ) Approx Width: 54 inches (137 cm), Linear Meter
1410002	<a href="#">306A</a>	Filament Nylon 6.6 Semi-Dull Taffeta, Scoured, Heat Set Approx Weight: 59 grams/meter <sup>2</sup> (1.74 ounces/yard <sup>2</sup> ) Approx Width: 59 inches (152 cm), Linear Meter
1410003	<a href="#">314</a>	Texturized Nylon 6.6 Stretch Fabric, Double Knit Approx Weight: 260 grams/meter <sup>2</sup> (7.66 ounces/yard <sup>2</sup> ) Approx Width: 56 inches (142 cm), Linear Meter
1410005	<a href="#">338-60</a>	Nylon Oxford Bunting Approx Weight: 108 grams/meter <sup>2</sup> (3.18 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter
1410006	<a href="#">365</a>	Spun Nylon 6.6 Woven Fabric, Plain Weave Approx Weight: 190 grams/meter <sup>2</sup> (5.6 ounces/yard <sup>2</sup> ) Approx Width: 42 inches (106 cm)
<b><a href="#">Polyester Fabrics</a></b>		
1411001	<a href="#">700-1</a>	Poly Suede Approx Weight: 240 grams/meter <sup>2</sup> (7.2 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter

1411002	<a href="#">700-12</a>	Poly Lycra (93% / 7%) Approx Weight: 143 grams/meter <sup>2</sup> (4.3 ounces/yard <sup>2</sup> ) Approx Width: 63 inches (160 cm), Linear Meter
1411003	<a href="#">700-13</a>	Poly Georgette Approx Weight: 57 grams/meter <sup>2</sup> (1.7 ounces/yard <sup>2</sup> ) Approx Width: 59 inches (150 cm), Linear Meter
1411004	<a href="#">700-1558</a>	Poly Pongee without Optical Approx Weight: 73 grams/meter <sup>2</sup> (2.2 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1411005	<a href="#">700-16</a>	Polyester "Silk" Approx Weight: 73 grams/meter <sup>2</sup> (2.2 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1411006	<a href="#">700-2</a>	Ultra Sheer Approx Weight: 27 grams/meter <sup>2</sup> (0.8 ounces/yard <sup>2</sup> ) Approx Width: 60 inches, Linear Meter
1411007	<a href="#">700-5</a>	Poly Poplin Approx Weight: 127 grams/meter <sup>2</sup> (3.8 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1411008	<a href="#">700-6</a>	Firesafe Approx Weight: 127 grams/meter <sup>2</sup> (3.8 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1411009	<a href="#">700-7</a>	Hercules Approx Weight: 207 grams/meter <sup>2</sup> (6.2 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1411010	<a href="#">700-8</a>	Poly Duck Approx Weight: 200 grams/meter <sup>2</sup> (6 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
<b><u>Polypropylene Fabrics</u></b>		
1412001	<a href="#">983</a>	Spun Polypropylene Approx Weight: 170 grams/meter <sup>2</sup> (5.01 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter
<b><u>Silk Fabrics</u></b>		
1413001	<a href="#">601</a>	Silk Crepe deChine 16mm Approx Weight: 72 grams/meter <sup>2</sup> (2.12 ounces/yard <sup>2</sup> ) Approx Width: 44 inches (112 cm), Linear Meter
1413002	<a href="#">602</a>	Silk Pongee Approx Weight: 45 grams/meter <sup>2</sup> (1.32 ounces/yard <sup>2</sup> ) Approx Width: 41 inches (104 cm), Linear Meter
1413003	<a href="#">603</a>	Silk Shangtung Approx Weight: 48 grams/meter <sup>2</sup> (1.41 ounces/yard <sup>2</sup> ) Approx Width: 54 inches (137 cm), Linear Meter
1413004	<a href="#">606</a>	Silk Georgette 6mm Approx Weight: 36 grams/meter <sup>2</sup> (1.06 ounces/yard <sup>2</sup> ) Approx Width: 44 inches (112 cm), Linear Meter
1413005	<a href="#">607</a>	Silk Broadcloth Approx Weight: 105 grams/meter <sup>2</sup> (3.09 ounces/yard <sup>2</sup> ) Approx Width: 44 inches (112 cm), Linear Meter
1413006	<a href="#">608</a>	Silk Charmeuse 20mm Approx Weight: 90 grams/meter <sup>2</sup> (2.65 ounces/yard <sup>2</sup> ) Approx Width: 44 inches (112 cm), Linear Meter
1413007	<a href="#">609</a>	Silk Habutae 8mm Approx Weight: 36 grams/meter <sup>2</sup> (1.06 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter
1413008	<a href="#">611</a>	Silk Twill Approx Weight: 46 grams/meter <sup>2</sup> (1.35 ounces/yard <sup>2</sup> ) Approx Width: 55 inches (139 cm), Linear Meter



1413009	<a href="#">615</a>	Silk Fabric Note: Style 615 is no longer an ISO Adjacent Silk, for ISO Adjacent Silk please refer to available item ISO ADJ SILK Approx Weight: 135 grams/meter <sup>2</sup> (3.98 ounces/yard <sup>2</sup> ) Approx Width: 36 inches (91 cm), Linear Meter
1413010	<a href="#">617</a>	Silk Chiffon Approx Weight: 20 grams/meter <sup>2</sup> (0.58 ounces/yard <sup>2</sup> ) Approx Width: 44 inches (112 cm), Linear Meter
1413011	<a href="#">618</a>	Silk Organza Approx Weight: 25 grams/meter <sup>2</sup> (0.73 ounces/yard <sup>2</sup> ) Approx Width: 42 inches (107 cm), Linear Meter
1413012	<a href="#">620</a>	Silk Taffeta Approx Weight: 80 grams/meter <sup>2</sup> (2.35 ounces/yard <sup>2</sup> ) Approx Width: 54 inches (137 cm), Linear Meter
1413013	<a href="#">651</a>	Natural Silk Noil Approx Weight: 135 grams/meter <sup>2</sup> (3.98 ounces/yard <sup>2</sup> ) Approx Width: 44 inches (112 cm), Linear Meter
1413014	<a href="#">652</a>	Bleached Silk Noil Approx Weight: 163 grams/meter <sup>2</sup> (4.8 ounces/yard <sup>2</sup> ) Approx Width: 44 inches (112 cm), Linear Meter
<b><u>Spun Polyester Fabrics</u></b>		
1414001	<a href="#">755</a>	Spun Polyester Type 54 (Coarser than 777) (Disperse Dyeable) Approx Weight: 171 grams/meter <sup>2</sup> (5.04 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter
1414002	<a href="#">755H</a>	Spun Polyester Type 54, Heat Set (Coarser than 777)(Disperse Dyeable) Approx Weight: 175 grams/meter <sup>2</sup> (5.16 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter
1414003	<a href="#">761</a>	Spun Polyester Type 54 with Rewetting Agent Added for Thermosol Process Approx Weight: 128 grams/meter <sup>2</sup> (3.77 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter
1414004	<a href="#">763H</a>	Spun Polyester Type 64, Heat Set (Cationic Dyeable) Approx Weight: 160 grams/meter <sup>2</sup> (4.71 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter
1414005	<a href="#">777</a>	Spun Polyester Type 54 (Disperse Dyeable) Note: Style 777 is no longer an ISO Adjacent Polyester, for ISO Adjacent Polyester please refer to available item ISO ADJ POLYESTER Approx Weight: 126 grams/meter <sup>2</sup> (3.71 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter
1414006	<a href="#">777H</a>	Spun Polyester Type 54, Heat Set (Disperse Dyeable) Approx Weight: 122 grams/meter <sup>2</sup> (3.59 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter
<b><u>Union, Checked, Blended and Other Fabrics</u></b>		
1415001	<a href="#">1253B</a>	Spun Acetate/Spun Viscose 3/16" Check Approx Weight: 217 grams/meter <sup>2</sup> (6.4 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter
1415002	<a href="#">2601</a>	Silk/Rayon (Blend) Velvet Approx Weight: 189 grams/meter <sup>2</sup> (5.57 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter

1415003	<a href="#">339</a>	Nylon/Lycra 87% / 13% Knit Bathing Suit Fabric Approx Weight: 185 grams/meter <sup>2</sup> (5.45 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1415004	<a href="#">4200</a>	Cotton/Viscose, 1/2" Check Approx Weight: 184 grams/meter <sup>2</sup> (5.42 ounces/yard <sup>2</sup> ) Approx Width: 44 inches (112 cm), Linear Meter
1415005	<a href="#">4301</a>	Cotton/Lycra (92% / 8%) Leotard Fabric Approx Weight: 202 grams/meter <sup>2</sup> (5.95 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1415006	<a href="#">7208</a>	Spun Polyester Type 54 and Spun Viscose 1/2" Check Approx Weight: 160 grams/meter <sup>2</sup> (4.71 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter
1415007	<a href="#">7409OPT</a>	Polyester/Cotton, 65/35 Bleached Broadcloth (With Optical Brightener) Approx Weight: 104 grams/meter <sup>2</sup> (3.06 ounces/yard <sup>2</sup> ) Approx Width: 52 inches (132 cm), Linear Meter
1415008	<a href="#">7409WOB</a>	Polyester/Cotton, 65/35 Bleached Broadcloth (Without Optical Brightener) Approx Weight: 104 grams/meter <sup>2</sup> (3.06 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter
1415009	<a href="#">7418</a>	Spun Polyester Type 54/Bleached Cotton 1/2" Check Approx Weight: 162 grams/meter <sup>2</sup> (4.77 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter
1415010	<a href="#">7422</a>	Polyester/Cotton 50/50 Jersey Knit, Tubular Approx Weight: 172 grams/meter <sup>2</sup> (5 ounces/yard <sup>2</sup> ) Approx Width: 31 inches (79 cm), Linear Meter
1415011	<a href="#">7435</a>	Polyester/Cotton, 65/35 Shirting Bleached (With Optical Brightner) Approx Weight: 82 grams/meter <sup>2</sup> (2.41 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1415012	<a href="#">7435WRL</a>	Polyester/Cotton, 65/35 Bleached with Durable Press Finish or Batiste (With optical brightener) Approx Weight: 92 grams/meter <sup>2</sup> (2.71 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter
1415013	<a href="#">7436M</a>	Polyester/Cotton, 65/35 Poplin (Raincoat Weight) Mercerized and Bleached (With optical brightener) Approx Weight: 154 grams/meter <sup>2</sup> (4.54 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1415014	<a href="#">7436MWRL</a>	Polyester/Cotton 65/35 Mercerized, Bleached Poplin with Durable Press Finish (With optical brightener) Approx Weight: 155 grams/meter <sup>2</sup> (4.57 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1415015	<a href="#">7439OB</a>	50/50 Poly/Cotton Interlock Tubular, Bleached (With Optical Brightener) Approx Weight: 190 grams/meter <sup>2</sup> (5.6 ounces/yard <sup>2</sup> ) Approx Width: 30 inches (76 cm), Linear Meter
1415016	<a href="#">7465</a>	50/50 Polyester/Cotton Approx Weight: 104 grams/meter <sup>2</sup> (3.06 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1415017	<a href="#">7506</a>	Spun Polyester Type 54 / Worsted Wool 1/2" Check Approx Weight: 181 grams/meter <sup>2</sup> (5.33 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter

1415018	<a href="#">765</a>	Spun Polyester Type 54 and Spun Polyester Type 64 (1/2" Check) Approx Weight: 165 grams/meter <sup>2</sup> (4.86 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter
1415019	<a href="#">8505</a>	Acrylic Type 75 / Worsted Wool 1/2" Check Approx Weight: 168 grams/meter <sup>2</sup> (4.95 ounces/yard <sup>2</sup> ) Approx Width: 45 inches (114 cm), Linear Meter
1415020	<a href="#">900-ET 8500</a>	PTFE Teflon Mesh Approx Width: 18 inches (45 cm), Linear Foot
<b><u>Viscose (Regenerated Cellulose) Fabrics</u></b>		
1416001	<a href="#">266</a>	Spun Viscose Challis Note: Style 266 is no longer an ISO Adjacent Viscose, for ISO Adjacent Viscose please refer to available item ISO ADJ VISCOSE Approx Weight: 138 grams/meter <sup>2</sup> (4.07 ounces/yard <sup>2</sup> ) Approx Width: 57 inches (145 cm), Linear Meter
1416002	<a href="#">266WB</a>	Black Spun Viscose Challis, Dischargeable Approx Weight: 138 grams/meter <sup>2</sup> (3.8 ounces/yard <sup>2</sup> ) Approx Width: 57 inches (145 cm), Linear Meter
<b><u>Worsted and Wool Fabrics</u></b>		
1417001	<a href="#">526</a>	Worsted Flannel Natural Scoured Approx Weight: 241 grams/meter <sup>2</sup> (7.1 ounces/yard <sup>2</sup> ) Approx Width: 60 inches (152 cm), Linear Meter
1417002	<a href="#">527</a>	100% Wool Flannel (carbonized) Approx Weight: 268 grams/meter <sup>2</sup> (8 ounces/yard <sup>2</sup> ) Approx Width: 56 inches (142 cm), Linear Meter
1417003	<a href="#">532</a>	Wool Jersey Knit Fabric Approx Weight: 177 grams/meter <sup>2</sup> (5 ounces/yard <sup>2</sup> ) Approx Width: 66 inches (168 cm), Linear Meter
1417004	<a href="#">537</a>	Wool Fabric Note: Style 537 is no longer an ISO Adjacent Wool, for ISO Adjacent Wool please refer to available item ISO ADJ WOOL Approx Weight: 125 grams/meter <sup>2</sup> (3.68 ounces/yard <sup>2</sup> ) Approx Width: 54 inches (137 cm), Linear Meter
1417005	<a href="#">541</a>	Worsted Gabardine Natural Scoured Approx Weight: 187 grams/meter <sup>2</sup> (5.51 ounces/yard <sup>2</sup> ) Approx Width: 62 inches (157 cm), Linear Meter
1417006	<a href="#">542</a>	Worsted Wool Challis Approx Weight: 109 grams/meter <sup>2</sup> (3.21 ounces/yard <sup>2</sup> ) Approx Width: 55 inches (139 cm)
1417007	<a href="#">F-500</a>	Wool Felt Approx Width: 37 inches (94 cm), Linear Meter
<b><u>DYE SKEINS</u></b>		
Item Number	Item Name	Item Description
<b><u>Acrylic Yarn PFD Dye Skeins</u></b>		
1201001	<a href="#">SK SC 61.5 GE</a>	5 Gram Spun Creslan, 100 Skeins
1201002	<a href="#">SK SO 75 10GE</a>	10 Gram Spun Dralon, Semi Dull, 100 Skeins
1201003	<a href="#">SK SO 75 5GE</a>	5 Gram Spun Dralon, Semi Dull, 100 Skeins
<b><u>Carpet Yarn PFD Dye Skeins</u></b>		
1202001	<a href="#">CY CAT 10GR</a>	Carpet Yarn Cationic Dyeable 10 grams Skeins, 100 Skeins
1202002	<a href="#">CY CAT 5GR</a>	Carpet Yarn Cationic Dyeable 5 grams Skeins, 100 Skeins
1202003	<a href="#">CY DEEP 10GR</a>	Carpet Yarn Deep Acid Dyeable 10 grams Skeins, 100 Skeins
1202004	<a href="#">CY DEEP 5GR</a>	Carpet Yarn Deep Acid Dyeable 5 grams Skeins, 100 Skeins

1202005	<a href="#">CY LIGHT 10GR</a>	Carpet Yarn Light Acid Dyeable 5 grams Skeins, 100 Skeins
1202006	<a href="#">CY LIGHT 5GR</a>	Carpet Yarn Light Acid Dyeable 5 grams Skeins, 100 Skeins
1202007	<a href="#">CY REG 10GR</a>	Carpet Yarn Regular Acid Dyeable 10 grams Skeins, 100 Skeins
1202008	<a href="#">CY REG 5GR</a>	Carpet Yarn Regular Acid Dyeable 5 grams Skeins, 100 Skeins
<b><u>Cotton Yarn PFD Dye Skeins</u></b>		
1203001	<a href="#">SK 20/2 BC 10 GE</a>	20/2 Bleached Cotton 10 grams Skeins, 100 Skeins
1203002	<a href="#">SK 20/2 BC 5 GE</a>	20/2 Bleached Cotton 5 grams Skeins, 100 Skeins
1203003	<a href="#">SK 40/2 BOC 10 GE</a>	40/2 Scoured, Boiled off Cotton 10 grams Skeins, 100 Skeins
1203004	<a href="#">SK 40/2 BOC 5 GE</a>	40/2 Scoured, Boiled off Cotton 5 grams Skeins, 100 Skeins
1203005	<a href="#">SK 40/2 MC 10 GE</a>	10 Gram 40/2 Mercerized Cotton, 100 Skeins
1203006	<a href="#">SK 40/2 MC 5 GE</a>	5 Gram 40/2 Mercerized Cotton, 100 Skeins
1203007	<a href="#">SK DRAVE E</a>	5 Gram 40/2 Greige Cotton for Draves Test, 100 Skeins
<b><u>Nylon Yarn PFD Dye Skeins</u></b>		
1204001	<a href="#">SK SN 66 10 GE</a>	10 Gram Spun Nylon 6.6, 100 Skeins
1204002	<a href="#">SK SN 66 5 GE</a>	5 Gram Spun Nylon 6.6, 100 Skeins
<b><u>Polyester Yarn PFD Dye Skeins</u></b>		
1205001	<a href="#">SK SD 54 10 GE</a>	10 Gram Spun Polyester Type 54 Disperse Dyeable, 100 Skeins
1205002	<a href="#">SK SD 54 5GE</a>	5 Gram Spun Polyester Type 54 Disperse Dyeable, 100 Skeins
1205003	<a href="#">SK SD 64 10 GE</a>	10 Gram Spun Polyester Type 64 Basic Dyeable, 100 Skeins
1205004	<a href="#">SK SD 64 5GE</a>	5 Gram Spun Polyester Type 64 Basic Dyeable, 100 Skeins
<b><u>Silk Yarn PFD Dye Skeins</u></b>		
1206001	<a href="#">SK SS 5 GE</a>	5 Gram Spun Silk, 100 Skeins
<b><u>Viscose (Regenerated Cellulose) Yarn PFD Dye Skeins</u></b>		
1207001	<a href="#">SK SV 10GE</a>	10 Gram Spun Viscose, Bright, 100 Skeins
1207002	<a href="#">SK SV 5 GE</a>	5 Gram Spun Viscose, Bright, 100 Skeins
<b><u>Wool Yarn PFD Dye Skeins</u></b>		
1208001	<a href="#">SK 2/30 WW 10 GE</a>	2/30 Worsted, Scoured Wool 10 grams Skeins, 100 Skeins
1208002	<a href="#">SK 2/30 WW 5 GE</a>	2/30 Worsted, Scoured Wool 5 grams Skeins, 100 Skeins